



Bid Number/बोली क्रमांक (बिड संख्या)[:] GEM/2023/B/4013904 Dated/दिनांक : 29-09-2023

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण		
	20-10-2023 18:00:00	
Bid Opening Date/Time/बिड खुलने की तारीख/समय	20-10-2023 18:30:00	
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	60 (Days)	
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Earth Sciences	
Department Name/विभाग का नाम	Department Of Earth Sciences	
Organisation Name/संगठन का नाम	National Centre For Antarctic And Ocean Research (ncaor)	
Office Name/कार्यालय का नाम	Goa	
Total Quantity/कुल मात्र	1	
ltem Category/मद केटेगरी	Salinometer (Q3)	
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	60 Lakh (s)	
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	60 Lakh (s)	
Years of Past Experience Required for same/similar service/उर्न्ही/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)	
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No	
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छ्ट	No	
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer	
Past Performance/विगत प्रदर्शन	10 %	
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No	

Bid Details/बिड विवरण	
Annual Maintenance Charges Required	Yes
Type of Bid/बिड का प्रकार	Two Packet Bid
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	3 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre- registered with GeM)	Νο
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाईजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	120000

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%)/ईपीबीजी प्रतिशत (%)	10.00
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	38

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शतों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए बिनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

Director, NCPOR National Centre for Polar and Ocean Research (NCPOR), Ministry of Earth Sciences, Headland Sada, Vasco Da Gama, South-Goa, Goa 403804 (Director)

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

	MII Purchase Preference/एमआईआई खरीद वरीयता	Yes	
--	--	-----	--

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes	
---	-----	--

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

<u>OM_No.1_4_2021_PPD_dated_18.05.2023</u> for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

5. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. 6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid

in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Salinometer (1 set)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़	Download	
---	----------	--

Annual Maintenance	
Warranty of required product	3 Year
Annual Maintenance Charges Duration (Post Warranty)	3 Year
Annual Maintenance Charges Frequenecy	Bi-annually

*Warranty displayed under the AMC/CMC Details section will supersede the warranty displayed under the catalog specfication

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pradeep Kumar Singh	403804,Director National Centre for Antarctic Ocean Research Headland Sada, Vasco-da-gama,	1	60

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्त

1. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

(i) The bidders to provide compliance on All Technical Specifications & provide Product Catlog/Data Sheet of the product(s) offered in the bid. Any non-compliance/deviation if not notified will be treated as full acce ptance of the bid document.

(ii) Product Catalog/Data Sheet of the product(s) offered in the bid are to be uploaded along with the bid d ocuments. Buyers can match and verify the Product Catalog/Data Sheet with the product specifications off ered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

(iii) Bidders to provide basic details sought in enclosed Buyer Added Specific ATC.

(iv) Bidder Security/Earnest Money Deposit - As per Buyer & Banking details in Bid and GeM General Terms & conditions. Scanned copy of EMD shall be uploaded by Seller in the online bid and original copy of the sa me will have to be submitted directly to the Buyer mentioned delivery address within 5 working days of bid opening date, failing which the bid may be treated as incomplete & may lead to rejection of the bid by buy er without making any reference to the seller.

(v) Performance Security/Guarantee - As per Buyer & Banking details in Bid and GeM General Terms & con ditions, the Online PBG or Offline PBG must be submitted by Seller to the Buyer within 15 days of award of contract on GeM. The payments to the seller shall become due only after receipt of Performance Bank Gua rantee by the Buyer and verification of its genuineness. No interest shall be payable upon the Performance Bank Guarantee.

(vi) If the Seller fails or neglects to observe or perform any of his obligations under the contract it shall be lawful for the Buyer to forfeit either in whole or in part, the Performance Bank Guarantee furnished by the Seller.

(vi) NCPOR is NOT liable to provide Form C or D or any other Form to claim GST. However, NCPOR shall pr ovide Customs Duty Exemption Certificate as per the Govt. Notification 51/96. NCPOR will clear the consig nment at Goa port and pay the applicable Customs Duty.

(vii) Agency Commission: The amount of Agency Commission, (not exceeding the prescribed limit) payable to the Indian Agent should not be more than what is specified in the Agency agreement (a certified copy s hould be submitted along with the bid) between the bidder and the Indian Agent. The Indian Agent will be r equired to submit a certificate along with their Agency Commission bill, confirming that the amount claime d as Agency Commission in the bill has been spent/will be spent, strictly to render services to the foreign P rincipal, in terms of the Agency Agreement. The Purchaser or their authorized agencies and/or any other a uthority of the Government of India shall have rights to examine the books of the Indian Agent and defects or misrepresentations in respect of the afore indicated confirmation coming to light during such examinati ons will make the foreign Principal (i.e. the Contractor) and their Indian Agent liable to be banned/suspend ed from having business dealings with the Purchaser, following laid down procedures for such banning/sus pension of business dealings.

(viii) Undue profiteering: Bidder shall specifically mention this fact in his bid giving reasons for quoting a h igher price(s). If he fails to do so or makes any misstatement, it shall be lawful for the Procuring Entity eith er to revise the price at any stage to bring it in conformity with the OEM prices or to terminate the contrac t and avail all the remedies available therein in addition to other punitive actions for violation of Code of In tegrity.

(ix) Book Examination Clause: The Procuring Entity reserves the right for 'Book Examination' as follows: Th e Bidder/contractor shall, whenever called upon and required to produce or cause to be produced, for exa mination by any Government Officer duly authorised in that behalf, any cost or other book of account, vou cher, receipt, letter, memorandum, paper or writing or any copy of or extract from any such document. Th e Contractor shall also furnish information relating to the execution of this contract or relevant for verifying or ascertaining the cost of executing this contract to such Government Officer in such manner as may be r equired. The decision of such Government Officer on the question of relevancy of any document, informati on of return being final and binding on the parties. The obligation imposed by this clause is without prejudi ce to the contractor. The contractor shall, if the authorised Government Officer so requires (whether befor e or after the prices have been finally fixed), afford facilities to the Government Officer concerned to visit t he contractor's premises to examine the processes of production and estimate or ascertaining the cost of performance of Contract. The authorised Government Officer shall have power, muted is mutandis, to exa mine all the relevant books of Contractor's subcontractor, or any subsidiary or allied firm or company, if an

y portion of the contract is entrusted or carried out by such entities. If on such examination, it is establishe d that the contracted price is more than the actual cost-plus reasonable margin of profit, the Procuring Enti ty shall have the right to reduce the price and determine the amount to a reasonable level. The Contractor or its agency is bound to allow examination of its books within 60 days from the date the notice is received by the contractor or its agencies calling for the production of documents. In the event of the contractor's or his agency's failure to do so, the contract price would be reduced and determined according to the best ju dgment of the Procuring Entity, which would be final and binding on the contractor and his agencies.

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document <u>Click here to view the file</u>.

4. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

5. Generic

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

6. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

7. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

8. Warranty

Warranty period of the supplied products shall be 3 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

9. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

10. Warranty

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects

/ service requirement during warranty period, Seller has to complete the required Service / Rectification within 10 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.

11. Past Project Experience

Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract execution like Third Party Inspection release note copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

12. Past Project Experience

The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:

(i) Single order of at least 35% of estimated bid value; or

(ii) Two orders of at least 20% each of estimated bid value; or

(iii) Three orders of at least 15% each of estimated bid value.

Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion

13. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Director, National Centre for Polar and Ocean Research payable at SBI Commercial Branch, VIDHYA DHIRAJ BHAVANF L GOMES RD, GOA PIN-403802

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

14. Forms of EMD and PBG

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C (Name of the Buyer). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

15. Forms of EMD and PBG

Bidders can also submit the EMD with Banker's Cheque in favour of

Director, National Centre for Polar and Ocean Research payable at

SBI Commercial Branch, VIDHYA DHIRAJ BHAVANF L GOMES RD, GOA PIN-403802

Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy

to the Buyer within 5 days of Bid End date / Bid Opening date.

16. Forms of EMD and PBG

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

Director Account No. 10153336180 IFSC Code SBIN0004116 Bank Name State Bank of India Branch address SBI Commercial Branch, VIDHYA DHIRAJ BHAVANF L GOMES RD, GOA PIN-403802

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of online transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

17. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

Director, National Centre for Polar and Ocean Research payable at SBI Commercial Branch, VIDHYA DHIRAJ BHAVANF L GOMES RD, GOA PIN-403802 . After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

18. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

Director, National Centre for Polar and Ocean Research Account No. 10153336180 IFSC Code SBIN0004116 Bank Name State Bank of India Branch address SBI Commercial Branch, VIDHYA DHIRAJ BHAVANF L GOMES RD, GOA PIN-403802 . Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to

exemption provided to such sellers under GeM GTC.

- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process.
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

Additional Clause For Annual Maintenance Charges

1.AMC charges to be indicated as percentage of cost of Product/Equipment quoted for each year after the warranty period.

2. GST shall be included in the AMC Charges quoted.

3. The AMC functionality shall be available in bid only and no direct RA shall be applicable. In case of bid to RA decrement rules shall be applicable on total price inclusive of AMC charges.

3.1 Buyer shall indicate number of years of warranty by selecting option of 1- 10 Years available in the field depending on warranty parameter applicable in category parameters for the equipment. The Seller while participating in Bid/RA will get fields to indicate AMC charges as percentage depending on number of years of AMC selected by Buyer. The following shall be applicable If 5 year AMC selected.

3.1.1 AMC charges for first year after warranty period – Percentage to be indicated- A1.

3.1.2 AMC charges for second year after warranty period – Percentage to be indicated A2.

3.1.3 AMC charges for third year after warranty period – Percentage to be indicated A3.

3.1.4 AMC charges for fourth year after warranty period – Percentage to be indicated A4.

3.1.5 AMC charges for 5th year after warranty period – Percentage to be indicated A5.

3.2 The calculation of AMC Charges shall take in to account of number of years of warranty and duration of AMC as specified while creating bid.

3.3 AMC charges to be indicated for each subsequent year should be same or higher than preceding year.

3.4 The AMC charges shall be offered within range of 3 to 10% of cost of equipment.

4.Since AMC charges are to be paid only later for each year during AMC period , applicable performance guarantee amount after placement of contract shall be based on the cost of product/equipment and not on basis of cost of equipment along with AMC Charges.

5. Performance bank guarantee applicable for AMC is to be submitted at start of the AMC and shall be applicable as 2.5% on the total contract value including AMC Charges The PBG submitted after award of contract shall be released only after new PBG for the AMC period is submitted and accepted by buyer/consignee after due

verification. Bank guarantee for AMC is to remain valid till completion of AMC period plus one year .The bank guarantee for AMC shall be submitted to buyer directly.

6. In case of splitting of quantity product/equipment cost and AMC charges offered by L-1 in the evaluated cost shall be matched by higher quoting eligible bidders on one to one basis .The equipment cost shall be matched and AMC charges shall be matched year to year.

7. The AMC Contract shall be an offline contract to be handled by buyer. The payment of AMC will be made on AMC frequency (as indicated above) basis after satisfactory completion of said period, duly certified by end user and scope of AMC will be as per para 1 above.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---

 mm (22 in) Should supply following accessories: i) Maintenance kit for 8400B ii) Autosal Computer Interface iii) External Sample Pump for Autosal iv) Suitable Packing Case for transportation onboard v) IAPSO Standard Seawater, P-Series (Salinity 35), two Packs (10 x 200ml bott vi) Salinity bottle 250ml (Pack of 12): Four packs vii) Salinity bottle insert: One pack (Pack off 100) viii) Salinity bottle screw caps: One pack (Pack of 100) ix) Salinity Bottle Wire Crate: Two x) Thermistor Kit 10 Scope of Supply: The system should be Supply, Installation, and Commission & Testing of Equipment at NCPOR. The installation/application engineers sho impart site training of the complete system regarding the operation a maintenance of Equipment. Warranty: 03 years comprehensive onsite warranty (including parts and labot from the date of Supply, Installation, and Commissioning & Testing of Equipment at NCPOR. Documentation: The supplier should provide instruction manual (02 sets) 	ITEM SPECIFICATIONS		
 Description of Equipment: Water samples are collected in ocean in different dep from surface to bottom through CTD Niskin sampler. The water samples need be analyzed for salinity to compare with sensor data. The analyzed sample val are needed to be correlated with the salinity profile data and the values will be u to reprocess or calibration of the salinity data. Detailed Technical Specifications: The system should have measurement Range 0.0001:1.15 Conductivity Ratio 0.004 to 76mS/cm (2 - 42 equival practical salinity unit (PSU) The system should have accuracy < ± 0.0001 conductivity ratio, equivalent 0.002 psu within -2°C and +4°C in UNESCO standards The system should have maximum resolution < 0.00001 Conductivity Rati 0.0002 mS/cm @ 15°C and 35 PSU < 0.0002 Equivalent PSU. The system should have bath temperature from 18°C to 33°C in 3°C sta accuracy ±0.02°C, stability ±0.001°C per day. The system should have bath volume 4.4 U.S. gallons (16.8 litres) The system should have bath volume 4.4 U.S. gallons (16.8 litres) The system should have dimensions H 678 mm (26.7 in); W 533 mm (21 in); D mm (22 in) Should supply following accessories: i) Maintenance kit for 8400B ii) Autosal Computer Interface iii) External Sample Pump for Autosal iv) Suitable Packing Case for transportation onboard v) IAPSO Standard Seawater, P-Series (Salinity 35), two Packs (10 x 200ml bott vi Salinity bottle screw caps: One pack (Pack of 100) xii Salinity bottle screw caps: One pack (Pack of 100) xii Salinity bottle screw caps: One pack (Pack of 100) xii Salinity bottle screw caps: One pack (Pack of 100) xii Salinity bottle screw caps: One pack (Pack of 100			
 Description of Equipment: Water samples are collected in ocean in different dep from surface to bottom through CTD Niskin sampler. The water samples need be analyzed for salinity to compare with sensor data. The analyzed sample val are needed to be correlated with the salinity profile data and the values will be u to reprocess or calibration of the salinity data. Detailed Technical Specifications: The system should have measurement Range 0.0001:1.15 Conductivity Ratio 0.004 to 76mS/cm (2 - 42 equival practical salinity unit (PSU) The system should have accuracy < ± 0.0001 conductivity ratio, equivalent 0.002 pau within -2°C and +4°C in UNESCO standards The system should have maximum resolution < 0.00001 Conductivity Rati 0.0002 mS/cm @ 15°C and 35 PSU < 0.0002 Equivalent PSU. The system should have barth temperature from 18°C to 33°C in 3°C sta accuracy ±0.02°C, stability ± 0.001°C per day. The system should have bath temperature from 18°C to 33°C in 3°C sta accuracy ±0.02°C, stability ± 0.001°C per day. The system should have bath volume 4.4 U.S. gallons (16.8 litres) The system should have dimensions H 678 mm (26.7 in); W 533 mm (21 in); D mm (22 in) Should supply following accessories: i) Maintenance kit for 8400B ii) Autosal Computer Interface iii) External Sample Pump for Autosal iv) Suitable Packing Case for transportation onboard v) IAPSO Standard Seawater, P-Series (Salinity 35), two Packs (10 x 200ml bott vi Salinity bottle screw caps: One pack (Pack of 100) xii Salinity bottle screw caps: One pack (Pack of 100) xii Salinity bottle screw caps: One pack (Pack of 100) xii Salinity bottle screw caps: One pack (Pack of 100) x			
Detailed Technical Specifications: 1 The system should have measurement Range 0.0001:1.15 Conductivity Ratio 0.004 to 76mS/cm (2 - 42 equival practical salinity unit (PSU) 2 The system should have accuracy < ± 0.0001 conductivity ratio, equivalent 0.002 psu within -2°C and +4°C in UNESCO standards	sample d sam	les need to	0 S
1 Range 0.0001:1.15 Conductivity Ratio 0.004 to 76mS/cm (2 - 42 equival practical salinity unit (PSU) 2 The system should have accuracy < ± 0.0001 conductivity ratio, equivalent 0.002 psu within -2°C and + 4°C in UNESCO standards			
 0.002 psu within -2°C and + 4°C in UNESCO standards The system should have maximum resolution < 0.00001 Conductivity Rati 0.0002 mS/cm @ 15°C and 35 PSU < 0.0002 Equivalent PSU. The system should have linear scale of conductivity ratio having 22 steps from to 2.2, where 2.0 correspond to seawater of 35 Equivalent PSU. The system should have bath temperature from 18°C to 33°C in 3°C sta accuracy ±0.02°C, stability ± 0.001°C per day. The system should have numerical display for output readings and thumb wl switch bottle logger. The system should have dimensions H 678 mm (26.7 in); W 533 mm (21 in); D mm (22 in) Should supply following accessories: Maintenance kit for 8400B Autosal Computer Interface Maintenance kit for 8400B Nuitable Packing Case for transportation onboard V IAPSO Standard Seawater, P-Series (Salinity 35), two Packs (10 x 200ml bott vi) Salinity bottle 250ml (Pack of 12): Four packs vii Salinity bottle Sorew caps: One pack (Pack of 100) xii Salinity bottle wire Crate: Two x) Thermistor Kit Scope of Supply: The system should be Supply, Installation, and Commission amintenance of Equipment. Warranty: 03 years comprehensive onsite warranty (including parts and labot from the date of Supply, Installation, and Commissioning & Testing of Equipment. Annual Maintenance Contract (AMC): The supplier should also quote for an maintenance contract after the warranty period for three years on Annual basi Scope of AMC - Two (02) preventive maintenance visits and One (01) breakdo 	- 42	equivalen	ιt
 3 0.0002 mS/cm@ 15°C and 35 PSU < 0.0002 Equivalent PSU The system should have linear scale of conductivity ratio having 22 steps from 0 2.2, where 2.0 correspond to seawater of 35 Equivalent PSU. The system should have bath temperature from 18°C to 33°C in 3°C step accuracy ±0.02°C, stability ± 0.001°C per day. The system should have numerical display for output readings and thumb we switch bottle logger. The system should have bath volume 4.4 U.S. gallons (16.8 litres) The system should have dimensions H 678 mm (26.7 in); W 533 mm (21 in); D 1 mm (22 in) Should supply following accessories: Maintenance kit for 8400B Maintenance kit for 8400B Maintenance kit for 8400B Slainity bottle 250ml (Pack of 12): Four packs Salinity bottle screw caps: One pack (Pack of 100) Xii Salinity bottle screw caps: One pack (Pack of 100) Xii Salinity bottle wire Crate: Two Xi Thermistor Kit Scope of Supply: Installation, and Commission & Testing of Equipment. Warranty: 03 years comprehensive onsite warranty (including parts and labof from the date of Supply, Installation, and Commission at NCPOR. Documentation: The supplier should provide instruction manual (02 sets Language: English) and supporting documents including calibration sheets original to validate the quoted specifications. Annual Maintenance Contract (AMC): The supplier should also quote for an maintenance of AC or 002 preventive maintenance visits and One (01) breakdor (AC). 	, equi	ivalent < :	±
 2.2, where 2.0 correspond to seawater of 35 Equivalent PSU. The system should have bath temperature from 18°C to 33°C in 3°C stere accuracy ±0.02°C, stability ± 0.001°C per day. The system should have numerical display for output readings and thumb we switch bottle logger. The system should have bath volume 4.4 U.S. gallons (16.8 litres) The system should have dimensions H 678 mm (26.7 in); W 533 mm (21 in); D mm (22 in) Should supply following accessories: Maintenance kit for 8400B Maintenance kit for 8400B Natosal Computer Interface External Sample Pump for Autosal Salinity bottle 250ml (Pack of 12): Four packs Salinity bottle 250ml (Pack of 12): Four packs Salinity bottle screw caps: One pack (Pack of 100) Salinity Bottle Wire Crate: Two Thermistor Kit Scope of Supply: The system should be Supply, Installation, and Commission & Testing of Equipment. Warranty: 03 years comprehensive onsite warranty (including parts and labb from the date of Supply, Installation, and Commission at NCPOR. Documentation: The supplier should provide instruction manual (02 sets Language: English) and supporting documents including calibration sheets original to validate the quoted specifications. Annual Maintenance Contract (AMC): The supplier should also quote for anm maintenance contract after the warranty period for three years on Annual basi Scope of AMC - Two (02) preventive maintenance visits and One (01) breakdow 		c	
 accuracy ±0.02°C, stability ± 0.001°C per day. The system should have numerical display for output readings and thumb we switch bottle logger. The system should have bath volume 4.4 U.S. gallons (16.8 litres) The system should have dimensions H 678 mm (26.7 in); W 533 mm (21 in); D mm (22 in) Should supply following accessories: i) Maintenance kit for 8400B ii) Autosal Computer Interface iii) External Sample Pump for Autosal iv) Suitable Packing Case for transportation onboard v) IAPSO Standard Seawater, P-Series (Salinity 35), two Packs (10 x 200ml bott vi) Salinity bottle 250ml (Pack of 12): Four packs vii) Salinity bottle 250ml (Pack of 12): Four packs vii) Salinity bottle screw caps: One pack (Pack of 100) ix) Salinity Bottle Wire Crate: Two x) Thermistor Kit Scope of Supply: The system should be Supply, Installation, and Commission anintenance of Equipment. Warranty: 03 years comprehensive onsite warranty (including parts and labor from the date of Supply, Installation, and Commissioning & Testing of Equipment. Documentation: The supplier should provide instruction manual (02 sets Language: English) and supporting documents including calibration sheets original to validate the quoted specifications. Annual Maintenance Contract (AMC): The supplier should also quote for ann maintenance contract after the warranty period for three years on Annual basi Scope of AMC - Two (02) preventive maintenance visits and One (01) breakdow 	-		
 switch bottle logger. The system should have bath volume 4.4 U.S. gallons (16.8 litres) The system should have dimensions H 678 mm (26.7 in); W 533 mm (21 in); D 1 mm (22 in) Should supply following accessories: Maintenance kit for 8400B Autosal Computer Interface Xuitable Packing Case for transportation onboard Suitable Packing Case for transportation onboard Salinity bottle 250ml (Pack of 12): Four packs Salinity bottle 250ml (Pack of 12): Four packs Salinity bottle crew caps: One pack (Pack of 100) Salinity Bottle Wire Crate: Two Thermistor Kit Scope of Supply: The system should be Supply, Installation, and Commission & Testing of Equipment at NCPOR. The installation/application engineers shout impart site training of the complete system regarding the operation a maintenance of Equipment. Warranty: 03 years comprehensive onsite warranty (including parts and labot from the date of Supply, Installation, and Commissioning & Testing of Equipment at NCPOR. Documentation: The supplier should provide instruction manual (02 sets Language: English) and supporting documents including calibration sheets original to validate the quoted specifications. Annual Maintenance Contract (AMC): The supplier should also quote for ann maintenance contract after the warranty period for three years on Annual basi Scope of AMC - Two (02) preventive maintenance visits and One (01) breakdow 	C in 3	3°C steps	3,
 8 The system should have dimensions H 678 mm (26.7 in); W 533 mm (21 in); D mm (22 in) 9 Should supply following accessories: Maintenance kit for 8400B Autosal Computer Interface External Sample Pump for Autosal External Sample Pump for Autosal V Suitable Packing Case for transportation onboard V IAPSO Standard Seawater, P-Series (Salinity 35), two Packs (10 x 200ml bott vi) Salinity bottle 250ml (Pack of 12): Four packs Vii) Salinity bottle crew caps: One pack (Pack off 100) Viii) Salinity bottle screw caps: One pack (Pack of 100) Viii) Salinity bottle wire Crate: Two x) Thermistor Kit 10 Scope of Supply: The system should be Supply, Installation, and Commission & Testing of Equipment at NCPOR. The installation/application engineers sho impart site training of the complete system regarding the operation a maintenance of Equipment. Warranty: 03 years comprehensive onsite warranty (including parts and labot from the date of Supply, Installation, and Commissioning & Testing of Equipment at NCPOR. Documentation: The supplier should provide instruction manual (02 sets Language: English) and supporting documents including calibration sheets original to validate the quoted specifications. Annual Maintenance Contract (AMC): The supplier should also quote for ann maintenance contract after the warranty period for three years on Annual basi Scope of AMC - Two (02) preventive maintenance visits and One (01) breakdot 	nd thu	umb whee	21
 mm (22 in) Should supply following accessories: Maintenance kit for 8400B Autosal Computer Interface Autosal Computer Interface Suitable Packing Case for transportation onboard Salinity bottle Scow (Pack of 12): Four packs Salinity bottle screw caps: One pack (Pack of 100) Salinity Bottle Wire Crate: Two Salinity Bottle Wire Crate: Two Thermistor Kit Scope of Supply: The system should be Supply, Installation, and Commission and the complete system regarding the operation amaintenance of Equipment. Warranty: 03 years comprehensive onsite warranty (including parts and labor from the date of Supply, Installation, and Commissioning & Testing of Equipment at NCPOR. Documentation: The supplier should provide instruction manual (02 sets Language: English) and supporting documents including calibration sheets original to validate the quoted specifications. Annual Maintenance Contract (AMC): The supplier should also quote for ann maintenance contra			
 i) Maintenance kit for 8400B ii) Autosal Computer Interface iii) External Sample Pump for Autosal iv) Suitable Packing Case for transportation onboard v) IAPSO Standard Seawater, P-Series (Salinity 35), two Packs (10 x 200ml bott vi) Salinity bottle 250ml (Pack of 12): Four packs vii) Salinity bottle insert: One pack (Pack off 100) viii) Salinity bottle screw caps: One pack (Pack of 100) ix) Salinity Bottle Wire Crate: Two x) Thermistor Kit Scope of Supply: The system should be Supply, Installation, and Commission & Testing of Equipment at NCPOR. The installation/application engineers sho impart site training of the complete system regarding the operation a maintenance of Equipment. Warranty: 03 years comprehensive onsite warranty (including parts and labot from the date of Supply, Installation, and Commissioning & Testing of Equipment. Documentation: The supplier should provide instruction manual (02 sets Language: English) and supporting documents including calibration sheets original to validate the quoted specifications. Annual Maintenance Contract (AMC): The supplier should also quote for ann maintenance contract after the warranty period for three years on Annual basi Scope of AMC - Two (02) preventive maintenance visits and One (01) breakdo 	The system should have dimensions H 678 mm (26.7 in); W 533 mm (21 in); D 559 mm (22 in)		
ii) Autosal Computer Interface iii) External Sample Pump for Autosal iv) Suitable Packing Case for transportation onboard v) IAPSO Standard Seawater, P-Series (Salinity 35), two Packs (10 x 200ml bott vi) Salinity bottle 250ml (Pack of 12): Four packs vii) Salinity bottle insert: One pack (Pack off 100) viii) Salinity bottle screw caps: One pack (Pack of 100) ix) Salinity bottle wire Crate: Two x) Thermistor Kit Scope of Supply: The system should be Supply, Installation, and Commission & Testing of Equipment at NCPOR. The installation/application engineers sho impart site training of the complete system regarding the operation a maintenance of Equipment. Warranty: 03 years comprehensive onsite warranty (including parts and labor from the date of Supply, Installation, and Commissioning & Testing of Equipmat NCPOR. Documentation: The supplier should provide instruction manual (02 sets Language: English) and supporting documents including calibration sheets original to validate the quoted specifications. Annual Maintenance Contract (AMC): The supplier should also quote for annual maintenance contract after the warranty period for three years on Annual basi Scope of AMC - Two (02) preventive maintenance visits and One (01) breakdor			
 iii) External Sample Pump for Autosal iv) Suitable Packing Case for transportation onboard v) IAPSO Standard Seawater, P-Series (Salinity 35), two Packs (10 x 200ml bott vi) Salinity bottle 250ml (Pack of 12): Four packs vii) Salinity bottle insert: One pack (Pack off 100) viii) Salinity bottle screw caps: One pack (Pack of 100) ix) Salinity Bottle Wire Crate: Two x) Thermistor Kit Scope of Supply: The system should be Supply, Installation, and Commission & Testing of Equipment at NCPOR. The installation/application engineers sho impart site training of the complete system regarding the operation a maintenance of Equipment. Warranty: 03 years comprehensive onsite warranty (including parts and labot 11 from the date of Supply, Installation, and Commissioning & Testing of Equipment at NCPOR. Documentation: The supplier should provide instruction manual (02 sets original to validate the quoted specifications. Annual Maintenance Contract (AMC): The supplier should also quote for ann maintenance contract after the warranty period for three years on Annual basi Scope of AMC - Two (02) preventive maintenance visits and One (01) breakdor 			
 iv) Suitable Packing Case for transportation onboard v) IAPSO Standard Seawater, P-Series (Salinity 35), two Packs (10 x 200ml bott vi) Salinity bottle 250ml (Pack of 12): Four packs vii) Salinity bottle insert: One pack (Pack off 100) viii) Salinity bottle screw caps: One pack (Pack of 100) ix) Salinity Bottle Wire Crate: Two			
 v) IAPSO Standard Seawater, P-Series (Salinity 35), two Packs (10 x 200ml bott vi) Salinity bottle 250ml (Pack of 12): Four packs vii) Salinity bottle insert: One pack (Pack off 100) viii) Salinity bottle screw caps: One pack (Pack of 100) ix) Salinity Bottle Wire Crate: Two x) Thermistor Kit Scope of Supply: The system should be Supply, Installation, and Commission waintenance of Equipment at NCPOR. The installation/application engineers should impart site training of the complete system regarding the operation a maintenance of Equipment. Warranty: 03 years comprehensive onsite warranty (including parts and labor from the date of Supply, Installation, and Commissioning & Testing of Equipment at NCPOR. Documentation: The supplier should provide instruction manual (02 sets original to validate the quoted specifications. Annual Maintenance Contract (AMC): The supplier should also quote for ann maintenance contract after the warranty period for three years on Annual basi Scope of AMC - Two (02) preventive maintenance visits and One (01) breakdor 	· · · · · · · · · · · · · · · · · · ·		
 vi) Salinity bottle 250ml (Pack of 12): Four packs vii) Salinity bottle insert: One pack (Pack off 100) viii) Salinity bottle screw caps: One pack (Pack of 100) ix) Salinity Bottle Wire Crate: Two x) Thermistor Kit Scope of Supply: The system should be Supply, Installation, and Commission & Testing of Equipment at NCPOR. The installation/application engineers sho impart site training of the complete system regarding the operation a maintenance of Equipment. Warranty: 03 years comprehensive onsite warranty (including parts and labo from the date of Supply, Installation, and Commissioning & Testing of Equipment at NCPOR. Documentation: The supplier should provide instruction manual (02 sets Language: English) and supporting documents including calibration sheets original to validate the quoted specifications. Annual Maintenance Contract (AMC): The supplier should also quote for ann maintenance contract after the warranty period for three years on Annual basi Scope of AMC - Two (02) preventive maintenance visits and One (01) breakdo 	v) IAPSO Standard Seawater, P-Series (Salinity 35), two Packs (10 x 200ml bottle vi) Salinity bottle 250ml (Pack of 12): Four packs		<u></u>
vii) Salinity bottle insert: One pack (Pack off 100) viii) Salinity bottle screw caps: One pack (Pack of 100) ix) Salinity Bottle Wire Crate: Two x) Thermistor Kit 10 & Cope of Supply: The system should be Supply, Installation, and Commission & Testing of Equipment at NCPOR. The installation/application engineers shout impart site training of the complete system regarding the operation and maintenance of Equipment. Warranty: 03 years comprehensive onsite warranty (including parts and labor from the date of Supply, Installation, and Commissioning & Testing of Equipment at NCPOR. 11 Documentation: The supplier should provide instruction manual (02 sets original to validate the quoted specifications. 12 Language: English) and supporting documents including calibration sheets original to validate the quoted specifications. Annual Maintenance Contract (AMC): The supplier should also quote for ann maintenance contract after the warranty period for three years on Annual basi 13 Scope of AMC - Two (02) preventive maintenance visits and One (01) breakdor			5)
 viii) Salinity bottle screw caps: One pack (Pack of 100) ix) Salinity Bottle Wire Crate: Two x) Thermistor Kit Scope of Supply: The system should be Supply, Installation, and Commission & Testing of Equipment at NCPOR. The installation/application engineers shout impart site training of the complete system regarding the operation at maintenance of Equipment. Warranty: 03 years comprehensive onsite warranty (including parts and labor from the date of Supply, Installation, and Commissioning & Testing of Equipment at NCPOR. Documentation: The supplier should provide instruction manual (02 sets Language: English) and supporting documents including calibration sheets original to validate the quoted specifications. Annual Maintenance Contract (AMC): The supplier should also quote for ann maintenance contract after the warranty period for three years on Annual basi Scope of AMC - Two (02) preventive maintenance visits and One (01) breakdor 			
 ix) Salinity Bottle Wire Crate: Two x) Thermistor Kit Scope of Supply: The system should be Supply, Installation, and Commission & Testing of Equipment at NCPOR. The installation/application engineers shout impart site training of the complete system regarding the operation at maintenance of Equipment. Warranty: 03 years comprehensive onsite warranty (including parts and labor from the date of Supply, Installation, and Commissioning & Testing of Equipment at NCPOR. Documentation: The supplier should provide instruction manual (02 sets original to validate the quoted specifications. Annual Maintenance Contract (AMC): The supplier should also quote for annual maintenance contract after the warranty period for three years on Annual basis Scope of AMC - Two (02) preventive maintenance visits and One (01) breakdor 			
x) Thermistor Kit 10 Scope of Supply: The system should be Supply, Installation, and Commission & Testing of Equipment at NCPOR. The installation/application engineers shout impart site training of the complete system regarding the operation at maintenance of Equipment. 11 Warranty: 03 years comprehensive onsite warranty (including parts and labor from the date of Supply, Installation, and Commissioning & Testing of Equipment at NCPOR. 12 Documentation: The supplier should provide instruction manual (02 sets Language: English) and supporting documents including calibration sheets original to validate the quoted specifications. 13 Scope of AMC - Two (02) preventive maintenance visits and One (01) breakdor			
 10 & Testing of Equipment at NCPOR. The installation/application engineers show impart site training of the complete system regarding the operation a maintenance of Equipment. Warranty: 03 years comprehensive onsite warranty (including parts and labor from the date of Supply, Installation, and Commissioning & Testing of Equipment at NCPOR. Documentation: The supplier should provide instruction manual (02 sets original to validate the quoted specifications. Annual Maintenance Contract (AMC): The supplier should also quote for annual basi scope of AMC - Two (02) preventive maintenance visits and One (01) breakdow 			
Warranty: 03 years comprehensive onsite warranty (including parts and labor from the date of Supply, Installation, and Commissioning & Testing of Equipment at NCPOR. Documentation: The supplier should provide instruction manual (02 sets Language: English) and supporting documents including calibration sheets original to validate the quoted specifications. Annual Maintenance Contract (AMC): The supplier should also quote for ann maintenance contract after the warranty period for three years on Annual basi 13 Scope of AMC - Two (02) preventive maintenance visits and One (01) breakdor	10 Scope of Supply: The system should be Supply, Installation, and Commissioni & Testing of Equipment at NCPOR. The installation/application engineers shou impart site training of the complete system regarding the operation a		đ
 12 Language: English) and supporting documents including calibration sheets original to validate the quoted specifications. Annual Maintenance Contract (AMC): The supplier should also quote for ann maintenance contract after the warranty period for three years on Annual basi 13 Scope of AMC - Two (02) preventive maintenance visits and One (01) breakdored 	Warranty: 03 years comprehensive onsite warranty (including parts and la11from the date of Supply, Installation, and Commissioning & Testing of Equip		
maintenance contract after the warranty period for three years on Annual basi <u>Scope of AMC</u> - Two (02) preventive maintenance visits and One (01) breakdo	Documentation : The supplier should provide instruction manual (02 sets Language: English) and supporting documents including calibration sheets		
13 Scope of AMC - Two (02) preventive maintenance visits and One (01) breakdo	-		ıl
NCPOR.	(01) t	breakdowr	

Procurement of Salinometer - QTY 01 Each

Sr. No.	ITEM SPECIFICATIONS	Complied/ Not Complied	REMARKS (if any)
A	Salinometer (Model: Guildline 8400B) : Description of Equipment: Water samples are collected in ocean in different depths from surface to bottom through CTD Niskin sampler. The water samples need to be analyzed for salinity to compare with sensor data. The analyzed sample values are needed to be correlated with the salinity profile data and the values will be used to reprocess or calibration of the salinity data.		
1	Detailed Technical Specifications: The system should have measurement Range 0.0001:1.15 Conductivity Ratio 0.004 to 76mS/cm (2 – 42 equivalent practical salinity unit (PSU)		
2	The system should have accuracy $< \pm 0.0001$ conductivity ratio, equivalent $< \pm 0.002$ psu within -2°C and + 4°C in UNESCO standards		
3	The system should have maximum resolution < 0.00001 Conductivity Ratio < 0.0002 mS/cm @ 15°C and 35 PSU < 0.0002 Equivalent PSU		
4	The system should have linear scale of conductivity ratio having 22 steps from 0 to 2.2, where 2.0 correspond to seawater of 35 Equivalent PSU.		
5	The system should have bath temperature from 18° C to 33° C in 3° C steps, accuracy $\pm 0.02^{\circ}$ C, stability $\pm 0.001^{\circ}$ C per day.		
6	The system should have numerical display for output readings and thumb wheel switch bottle logger.		
7	The system should have bath volume 4.4 U.S. gallons (16.8 litres)		
8	The system should have dimensions H 678 mm (26.7 in); W 533 mm (21 in); D 559 mm (22 in)		

9	Should supply following accessories:	
	i) Maintenance kit for 8400B	
	ii) Autosal Computer Interface	
	iii) External Sample Pump for Autosal	
	iv) Suitable Packing Case for transportation onboard	
	v) IAPSO Standard Seawater, P-Series (Salinity 35), two Packs (10 x 200ml bottles)	
	vi) Salinity bottle 250ml (Pack of 12): Four packs	
	vii) Salinity bottle insert: One pack (Pack off 100)	
	viii) Salinity bottle screw caps: One pack (Pack of 100)	
	ix) Salinity Bottle Wire Crate: Two	
	x) Thermistor Kit	
10	Scope of Supply: The system should be installed and commissioned at NCPOR. The installation/application engineers should impart site training of the complete system regarding the operation and maintenance, after the successful installation and commissioning.	
11	Warranty : 03 years comprehensive onsite warranty (including parts and labour) from successful installation of the system.	
12	Documentation : The supplier should provide instruction manual and supporting documents including calibration sheets in original to validate the quoted specifications.	
13	AMC: The supplier should also quote for annual maintenance contract after the warranty period for three years on Annual basis.	
14	Scope of AMC - Two preventive maintenance visits and one breakdown visit in a year during the AMC period to be provided as and when required by NCPOR.	
15	Undertaking & Compliance: against all the terms and conditions mentioned in the bid documents and non-Blacklisting of supplier to be submitted on the bidders letterhead.	

** <u>Please note</u>: Bidders to submit compliance on all the mentioned points along with all the requested detailed specifications and brochure for the Quoted/Offered item.

BIDDER DETAILS FORMAT

(Mandatory details to be submitted along with the Bid Documents)

Α	Company Information of the Bidder/Service Provider:	
1	Company Name in full as per GeM:	
2	Address in full as per GeM:	
3	Contact Name & No.: 1) Primary 2) Secondary	
4	Email id: 1) Primary 2) Secondary	
5	GST No.	
В	Bank Information of the Bidder/Service Provider:	
1	Bank Account Number:	
2	Bank Account Type: Savings/Current Account.	
3	Name of the Beneficiary Bank Account as registered in GeM:	
4	Bank name in full:	
5	Bank Branch & Address:	
6	IFSC Code:	

Company STAMP & SIGNED.