हेड लैण्ड सडा, वास्को डा गामा



NATIONAL CENTRE FOR ANTARCTIC & OCEAN RESEARCH

Ministry of Earth Sciences Government of India) Headland Sada, Vasco da Gama Goa - 403 804 - INDIA

> Telefax NO.: +91 832 2525573 procurement@ncaor.gov.in

PROCUREMENT SECTION

INDIGENOUS/FOREIGN **ENQUIRY**

गोवा- ४०३ ८०४ भारत

Ref. No.:

SOE-50554

M/s.

Date:

20.12.2017

Due Date:

18.01.2018

Dear Sir,

You are requested to send your offer in your official letter head (to be quoted in the price bid format as at Annexure-I) on CIP/CIF NCAOR, Goa basis for the following items as per the terms and conditions mentioned in Annexure-II.

Sr.	Item Description	Quantity
No.		
1.	High Performance Laboratory Refrigerator and Freezer	01
	Specifications:	
	Type: Combination of vertically arranged Refrigerator and Freezer	
	Refrigerator: Min +1°C (±2°C), Max +10°C (±5°C)	
	Freezer: Min -10°C (±2°C), Max -25°C(±5°C)	
	Refrigerator and Freezer capacity: 160L ±10L (Each)	
	No. of Compressor: 2	
	Door: 2 Solid doors (Door should not contain any racks)	
	Display: Digital display for temperature for each compartment	
	Alarms: Open door alarm, High / Low temperature alarm, Power failure alarm, Probe	
	failure alarm, Alarm display as text.	
	Defrost: Frost free system without affecting the set temperature.	
	Door Lock: Key Lock or number lock system	
	Electrical rating: 220-240 VAC, 50/60 Hz	
	Refrigerator and Freezer (W×D×H): (450×575×700mm) ± 50mm	
	External Dimensions (W×D×H): (500 ×600 ×1900mm) ± 100mm	
	Wheels: Standard caster (10.5 cm)	
	Accessories: Cable	
	Racks-At least 2-3 racks in both freezer and refrigerator, 3 Trays with interchangeable	
	rack positions.	
	Stabilizer- Compatible stabilizer with warranty certification	
	Warranty: 1 Years for instrument	
	Compressor warranty: Minimum 3 years	
	Certifications: CE Certified	
	Installation and Demonstration should be in NCAOR Laboratory.	

Your offer should contain the following information:

- 1. Submit your quotation on CIP/CIF NCAOR, Goa basis.
- 2. Expected Delivery Date:
- 3. Please indicate the delivery date:
- 4. Validity period of quotation: 90 days from due date.
- 5. Guarantee/Warranty of the product:
- 6. GST if any:
- 7. Specify Brand/Make Model of the quoted item (Catalogue, brochures &leaflets etc. of the quoted item to be enclosed)

Yours faithfully,

Sd/-

Joint Manager (Procurement & Stores) For and on behalf of Director, NCAOR Tender No: SOE-50554

PRICE BID FORMAT

- 1) Should be quoted in the following Price Bid Format only.
- 2) If quoted only in INR then price bid format column No. 6 & 7 and related row of the Foreign Currency quote may be deleted.
- 3) For any item should be quoted in <u>INR or Foreign Currency</u> only and should not be quoted for the same item <u>in both currency</u> (<u>INR as well as Foreign currency</u>) & if quoted in both currency for same item such price bid will be rejected in totality.
- 4) Should indicate one quoted Foreign Currency in words in the column 6 & 7 below, if not indicated/mentioned such bid will be rejected in totality.
- 5) No optional item to be quoted.
- 6) If it is two bid system of tender in that case price bid in the price bid format only should be submitted in **separate sealed cover** super scribing tender number & bidder name with address on the cover &un-priced bid should be enclosed along with **techno-commercial bid.**

Sr.	Item Description &	Quantity	QUOTE IN INR ONLY				0	QUOTE in one of the International Tradable		
No.	Specifications					R	FOREIGN Currency only by the Foreign bidder only who is the beneficiary of the payment as per payment clause 29B			
			Quote Unit	Total	*GST	Grand	0	Quote Unit Rate after	Total Amount	
			Rate after offering maximum	Amount (Quantity X Rate)	Amount for each item	Total	R	offering maximum discount	Indicate Quoted Foreign	

			discount						Currency in words
			In INR	In INR	indicate % applied for each item	In INR		Indicate Quoted Foreign Currency in words	
		1	2	3=(1 X 2)	4	5=(3+4)		6	7=(1 X 6)
	High Performance Laboratory Refrigerator and Freezer Model as offered with the Technical Specifications as below or higher specifications								
1.	High Performance Laboratory Refrigerator and Freezer Specifications: Type: Combination of vertically arranged Refrigerator and Freezer Refrigerator: Min +1°C (±2°C), Max +10°C (±5°C) Freezer: Min -10°C (±2°C), Max -25°C(±5°C) Refrigerator and Freezer capacity: 160L ±10L (Each) No. of Compressor: 2 Door: 2 Solid doors (Door should not contain any racks)	1					OR		

	Display: Digital display for	1			<u> </u>
	temperature for each				
	compartment				
	Alarms: Open door alarm,				
	High / Low temperature				
	alarm, Power failure alarm,				
	Probe failure alarm, Alarm				
	display as text.				
	Defrost: Frost free system				
	without affecting the set				
	temperature.				
	Door Lock: Key Lock or				
	number lock system				
	Electrical rating: 220-240				
	VAC, 50/60 Hz				
	Refrigerator and Freezer				
	(W×D×H):				
	(450×575×700mm) ± 50mm				
	External Dimensions				
	(W × D × H): (500 ×600				
	×1900mm) ± 100mm				
	Wheels: Standard caster				
	(10.5 cm)				
	Accessories: Cable				
	Racks-At least 2-3 racks in				
	both freezer and refrigerator,				
	3 Trays with				
	interchangeable rack				
	positions. Stabilizer- Compatible				
	stabilizer with warranty				
	certification				
	Warranty: 1 Years for				
	instrument				
	Compressor warranty:				
	Minimum 3 years				
	Certifications: CE Certified				
	Installation and				
	Demonstration should be				
	in NCAOR Laboratory.				
2	Packing, forwarding, Freight,				
	Insurance etc., on FOR NCAOR				
	1				
	Goa basis.				

3	GRAND TOTAL FOR INR							
4	4 FOB Charges (including packing & forwarding etc)							
5	CIP Goa Airport(by AIR) OR CIF Goa Port (by SEA)(Please	strike out whic	chever is not	applicable).				
	If it is not striked out clearly it will be assumed that quote is on CIP by AIR & it will be binding on tenderer.							
6	GRAND TOTAL FOR Q	UOTED ONE F	OREIGN CUR	RENCY				
*GSTN	N:							
1. V	alidity: 90 days from the due date of tender.							
2. D	elivery by(please indicate): on or before							
3 I,	We accept all the terms & conditions of the tender/enqu	iry.						
	Signature:							
	Designation:							
Bidde	Bidders Name with address & Seal:							
Phone	Phone No.:							

Email Address:

ANNEXURE - II

TERMS AND CONDITIONS FOR SUBMISSION OF TENDER/ENQUIRY

- 1)The National Centre for Antarctic and Ocean Research (NCAOR)invites sealed quotation/sealed tender from the reputed firms for the "SUPPLY OF HIGH PERFORMANCE LABORATORY REFRIGERATOR AND FREEZER" as per the specifications.
- 2) The tender should be submitted in sealed covers, super scribing tender for "SUPPLY OF HIGH PERFORMANCE LABORATORY REFRIGERATOR AND FREEZER" addressed to the Director, National Centre for Antarctic and Ocean Research, Headland-Sada, Vasco-da-Gama, Goa-403 804.(Only for Tender)
- 3)a)Overwriting and corrections should be attested properly. The bid should be complete in all respects and should be duly signed. Incomplete and unsigned bids/quotation will not be considered.
- b) Tenderer/supplier should submit tender in sealed cover within due date in their letter head indicating answer to questionnaire of this tender along with all the required documents as required in tender & TECNO COMMERCIAL COMPLIANCE STATEMENT duly filled in all respect.
- c) The tenderer/supplier should quote the price in the price bid format as at Annexure I only. (if it is tender of two bid system then price bid in the price bid format only should be submitted in separate sealed cover with indicating tender number bidder name on the cover). Any alteration /modification to the price bid format shall liable for rejection of Bid/Quotation. No price should be mentioned/quoted in the Techno-Commercial bid (applicable for two bid system)
- 4) All relevant technical literature pertain to items quoted **with full specifications** (Drawing, if any), information about the products quoted, including brochures if any should accompany the quotation.
- 5)A list of **reputed clients** to whom the firm has supplied similar items to be furnished alongwith the quotation/tender.

The Bidder should furnish the Name and address of the Purchasers placed orders on similar equipment with order No, date, Description and quantity, Date of Supply along with Contact person Telephone No, Fax No, and e mail address of Purchaser. The Bidder should enclose copies of Purchase Orders of recent similar supplies to the other customer.

- 6) Quotation should be **valid for a period of 90 days** from the date of tender opening/date of enquiry due and the period of delivery required should also be clearly indicated. If the supplier fails to deliver the goods within the time to be agreed upon, for delayed deliveries (wherever applicable) NCAOR reserves the right to **levy liquidated damages** at the rate of 0.5% per week or part their of up to maximum of 5%.
- 7) The **warranty period** and the kind of **post-warranty support** should be indicated. Warranty shall commence from the date of installation and acceptance of the complete equipment supplied under the Purchase Order / Contract.
- 8) Please **specify the Make/Brand quoted with full details** and Name of the Manufacturer with address, country of origin and currency in which rates are quoted.

9) Bid should contain EMD.

Bidders shall submit EMD along with their tender, either By DD drawn in favor of NCAOR, for a sum of ₹ 10,000/- (Rupees Ten Thousand only) payable at Vasco-da-Gama only or in the form of a bank guarantee for a sum of ₹ 10,000/- (Rupees Ten Thousand only) from any reputed bank (scheduled bank) initially valid for 180 days from the date of closing of the tender as per the proforma enclosed. This bank Guarantee in original shall be submitted along with the bid only.

Tender without EMD in the envelope containing bid shall be summarily rejected. The EMD of unsuccessful bidders shall be returned within 30 days of the award of contract.

The earnest money will be liable to be forfeited, if the tenderer withdraws or amends, impairs or derogates from the tender if any respect within the period of validity of his tender.

10) The Purchaser requires that the bidders suppliers and contractors observe the highest standard of ethics during the procurement and execution of such contracts. In pursuit of this policy, the following are defined:

"Corrupt practice" means the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence the action of a public official in the procurement process or in contract execution:

"fradulent practice" means a misrepresentation or omission of facts in order to influence a procurement process or the execution of contract;

"collusive practice" means a scheme or arrangement between two or more bidders, with or without the knowledge of purchaser, designed to establish bid prices at artificial, noncompetitive levels; and

"coercive practice: means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in the procurement process or affect the execution of contract;

The purchaser will reject a proposal for award if it determines that the Bidder recommended for award has, directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for the contract in question; The Decision of Director, NCAOR shall be final and binding.

- 11) **TECNO COMMERCIAL Compliance Statement:** Equipment's point-by-point comparison/compliance statement with **technical specification** indicated in the tender/enquiry, should be enclosed along with your tender/quotation as well as any other extra features of the equipment be shown separately therein and also **compliance statement for all commercial terms** of the tender (for Techno- commercial bid questionnaire to be attached as per Annexure-III & for Techno-Commercial compliance statement for **SUPPLY OF HIGH PERFORMANCE LABORATORY REFRIGERATOR AND FREEZER** as per Annexure-V).
- 12) NCAOR is not entitled to issue form "**C/D**". No Taxes shall be payable by us unless payment of the same is specifically mentioned by the suppliers in their bids and same is legally leviable.
- 13) To avail duty concessions **Custom Duty** as per Govt. notification 51/96, NCAOR will provide exemption certificates.
- 14) **Bid/Quotation should contain** all details and specifications, delivery schedule, Warranty, Installation,, Post Warranty, payment term, user-list, details of the price(s) of the item(s). **Any conditional bid/quote shall be rejected.**
- 15) The Prices shall be quoted in Indian Rupees for offers received within India for Goods manufactured in India: However tender/quotation should contain item-wise prices including total GST, Charges for Inland Transportation, Insurance and other local services required for the delivering the goods on F.O.R NCAOR GOA.
- 16) All quotes in Foreign Currency should be quoted **CIP/CIF Goa, India basis only.** However tender should contain item-wise prices including total FOB price, overall weight & dimensions of the equipment/item and cost of packing forwarding etc. b) **If the bidder to be quoted in**

Foreign Currency other than CIP/CIF Goa for any reason then only customs duty after availing duty concessions as per Govt. notification 51/96 will be reimbursed by NCAOR against submission of paid original Bill of Entry to its nominated party in INR against their bill/debit note and all the other cost involved (viz clearance, insurance, transport etc.) to deliver up to FOR NCAOR GOA will be on bidder/supplier account & to be quoted accordingly.

- 17)A Committee constituted by the Director, NCAOR for the purpose reserves the right to open the bids. Bids will be opened on the date and time mentioned in the tender document in the presence of tenderer. (Only for Tender)
- 18) A technical Committee constituted by the Director will assess the product supplied/ for their quality and their conformity to the specifications provided by the firm in their quotations. Any item(s) identified by the Committee to be not as per the specifications or are found to be of inferior quality will be rejected, and the bills towards the supply will not be processed for payment till proper replacements are provided.
- 19) **The submission of tender/Quotation** shall be deemed to be an admission on the part of the tenderer/supplier, had fully acquainted with the specifications, etc. and no claim other than what stated in the tender shall be paid in the event of award of Purchase Order.
- 20) **Acceptance of this tender/Quotation** form and submission of the quote within the stipulated time would be treated as:
- a) The tenderer/supplier has understood all requirements as described in our Tender/Enquiry document.
- b) Acceptance to provide/establish all the facilities mentioned in our tender/Enquiry without any price escalation, if the tenderer/supplier finds it necessary to add any hardware or software or any other materials during implementation.
- c) Agreeing to execute order to the satisfaction of NCAOR or its authorized representatives within the stipulated time.
- 21) NCAOR will not be liable for any obligation until such time NCAOR has communicated to the successful bidder of its decision to release the Purchase Order.

22) Installation charges (wherever applicable) should be clearly indicated & to be quoted in price bid only.

23) NCAOR will not be responsible for any postal delays.

- 24)Bidders shall note that NCAOR will not entertain any correspondence or queries on the status of the offers received against this Tender/Enquiry Invitation.
- 25) Tenders/Quotation from Manufacturers/Suppliers/Tenderers whose performance was not satisfactory in respect of quality of supplies and delivery schedules in any organizations, are liable for rejection. The tenders/Quotation that do not comply with the above criteria and other terms & conditions are liable for rejection.
- 26) The Director, NCAOR does not bind to accept the lowest quotation and reserves the right to himself, to reject or partly accept any or all the quotations received without assigning any reason.
- 27) All disputes arising in connection with executing the purchase order will be subject to the Jurisdiction of the Courts in Goa only.
- 28) No optional items to be quoted.
- 29) If the bidder prefer to quote on **High Sea Sales basis** on supply of foreign manufactured goods should quote in **INR inclusive of all cost delivery up to FOR NCAOR, GOA basis**. **No GST amount will be reimbursed by NCAOR. NCAOR shall provide only the High Sea Sales agreement as per NCAOR format &customs** duty exemption certificate as per Govt. notification 51/96 as applicable to High Sea Sales.

30) Payment Terms: No advance payment will be made.

A) For Indian currency Quote: Payment will be made only after submission of PBG (wherever applicable)

- 1) Payment for INR quotes shall be made within 30 days from the date of receipt & acceptance of the Equipment/item as ordered and completion of Installation (wherever applicable) against submission of original signed invoice in triplicate.
- B) <u>For Foreign currency Quote</u>: i) Payment will be made in foreign currency to Foreign Original Equipment Manufacturer(OEM)/foreign supplier only. ii) Payment will be made only after submission of PBG (wherever applicable)

- a) More beneficial & economical payment method for supplier as well as NCAOR would be through Bank Wire Transfer against delivery of the goods as per order & submission of PBG on submission of following proof of dispatch documents:
 - 1) Signed Bill of Lading / Airway Bill
 - 2) Packing List
 - 3) Certificate of Origin
 - 4) Insurance Certificate
 - 5) Signed Invoice
- b) Payment shall be made within 30 days from the date of receipt & acceptance of the Equipment/item as ordered and completion of Installation (wherever applicable) & on submission of PBG (wherever applicable) against submission of original signed invoice in triplicate.
- c) By Letter of Credit (LC) as per NCAOR L/C format only (enclosed as Annexure IV) will be opened only after receipt of order acceptance and submission of PBG (wherever applicable)
- d) Bidder should mention the preferred payment option for **Foreign currency Quote** out of above a, b & c in the techno-commercial bid document.
- 31) Card rate of bills selling rate as advised by SBI, Commercial Branch, Vasco-da-gama, Goa will be applied as on opening date of the Techno-Commercial bid for all conversion of foreign currency to INR wherever applicable.
- 32) For foreign supplies quoted in foreign currency, the Purchase Order(PO)/contract/agreement will be placed/entered to/with OEM/foreign supplier only, if need the PO may be routed through their Indian authorised bidder/authorised dealer/agent etc.
- 33) If Indian authorised bidder/ authorised dealer/agent etc. would like to quote partial supplies in INR then may quote under INR column of the Price bid format and should indicate supplier details from India provided all the responsibilities for such supplies etc. would be rest with original bidder/OEM supplier/main foreign bidder/supplier only. Undertaking to that effect should be provided in the techno-commercial bid.
- 34) All bank charges in India will be borne by NCAOR, Goa and outside India will be borne by beneficiary for the foreign payments.

Annexure-III

QUESTIONNAIRE - to be provided in Techno-Commercial Bid document.

- a. Name of the Manufacturer / Tenderer
- b. Full postal address with Telephone, Telefax, Email
- c. Please specify whether Public Limited, Company, Private Organization or Partnership Firm
- d. Nature of the Business
- e. Date of Establishment
- f. Present Turnover
- g. Permanent Income Tax Ref. No.
- h. G.S.T. NO.
- i. Address & Telephone Nos. Of your branch office in GOA (please specify whether Distributing/Servicing/Marketing the products)
- j. Techno Commercial Compliance statement: should be provided
- k. Reference of reputed Customers
- 1. Details of the highest order executed and value thereof
- m. Technical Specifications/Literature/Brochure should be enclosed.
- n. If quoted in Foreign Currency should mention the preferred payment option out of a,b& c of clause-29 B in the Techno-Commercial bid document & acceptance of the same.
- o. Offered Date of supply (on or before-----) should be indicated in the Techno-commercial bid.

Annexure IV

NCAOR LC APPLICATION FORMAT (CIP/CIF Basis)

Sr.										
No	40 A	TYPE OF L/C	IRREVOCABLE							
1	31 D	DATE & PLACE OF EXPIRY	DATE: 21 DAYS FROM DATE OF SHIPMENT							
			PLACE: AT THI	PLACE: AT THE COUNTER OF ADVISING BANK						
2	51A	APPLICANT BANK BIC	SBININBB229 STATE BANK OF INDIA (COMMERCIAL BRANCH) VASCO-DA-GAMA							
3	50	NAME & ADDRESS OF THE APPLICANT		NATIONAL CENTRE FOR ANTARCTIC AND OCEAN RESEARCH, HEADLAND SADA, VASCO-DA GAMA, GOA,						
4	59	BENEFICIARY NAME & ADDRESS OF BENEFICIARY	PLEASE INDICATE IN FULL AS PER FPO							
5	32 B	CURRENCY CODE & AMOUNT OF CURRENCY	PLEASE INDICATE AS PER FPO							
6	41 A	CREDIT AVAILABLE WITH	STATE BANK OF INDIA FOREIGN BRANCH / BENEFICIARY BANK							
		CREDIT AVAILABLE BY	NEGOTIATION							
7	42 C	UNANCE OF THE DRAFTS AT NARRATIVE	AT SIGHT							
8	42 A	DRAFTS TO BE DRAWN ON DRAWEE BIC	SBININBB229 STATE BANK OF DA-GAMA GOA,		A, COMMERCIAL BRA	NCH, VASCO-				
9	43 P	PARTIAL SHIPMENTS	PROHIBITED	43 T	TRANSHIPMENTS	PERMITTED				
10	44 E	PORT OF LOADING / AIRPORT OF DEPARTURE NARRATIVE	PLEASE INDICATE THE PLACE	44F	PORT OF DISCHARGE / AIRPORT OF DESTINATION NARRATIVE	PLEASE INDICATE THE PLACE AS PER FPO				
11	44 D	LATEST SHIPMENT DATE – SHIPMNT PERIOD	ON OR BEFORE PLEASE INDICATE DATE							
12	45A	DESCRIPTION OF GOODS	AS PER FPO							

13	46 A	DOCUMENTS REQUIRED:									
		_	DICE VALUE DRAWN ON STATE BANK OF INDIA,								
		COMMERCIAL BRANCH, VAS	·								
		b) SIGNED INVOICES IN TRIPLIC	CATE QUOTING F.P.O.NO. & DATED AND AMENDMENT								
		DATED WITH INDICATING A	LL DESCRIPTION OF SUPPLIED ITEMS AS PER FPO.								
		c) CERTIFICATE SHOWING GOO	DDS TO BE OF PLEASE INDICATE THE ORIGIN OF								
		COUNTRY ORIGIN.									
		I) PACKING LIST IN TRIPLICATE.									
		'	DUPLICATE COVERING AIRFREIGHT / MARINE(
			R IS NOT APPLICABLE) INSURANCE AS PER INSTITUTE								
		` , ,	ALL RISKS) AND PERILS AS PER INSTITUTE STRIKES,								
			NS CLAUSES, WAR RISK AS PER INSTITUTE CLAUSES								
			LUS 10 PCT CLAIM, IF ANY, PAYABLE IN INDIA.								
		I.	ARRIVAY BILL / OCEAN BILL OF LADING (PLEASE								
			APPLICABLE) STATING SHIPMENT TO (SAME AS								
		•	GNED TO STATE BANK OF INDIA, COMMERCIAL OA A/C. NATIONAL CENTRE FOR ANTARCTIC AND								
		OCEAN RESEARCH, GOA, MAR	,								
			RED FREIGHT FREFAID								
14	47 A	ADDITIONAL CONDITIONS:									
		1. ALL DOCUMENTS MUST MENTION OUR L/C NUMBER, DATE AND NAME OF ISSUING BANK.									
		2. CREDIT IS SUBJECT TO THE UNIFORM CUSTOMS AND PRACTICES FOR THE									
		DOCUMENTARY CREDIT (2007 REVESION) ICC PUBLICATION NO 600.									
			SIGNMENT TO BE SHIPPED THROUGH CLASS VESSEL								
		AND NOT OVERAGED.									
			PHOTOCOPY OF ALL REQUIRED DOCUMENTS MUST								
		BE PRESENTED FOR LC IS									
15	71 B		ALL BANK CHARGES OUTSIDE INDIA ARE ON								
		TO BENEFICIRY'S A/C	BENEFICIARY'S ACCOUNT								
16	48	PERIOD FOR DOCUMENTS TO	DOCUMENTS SHOULD BE PRESENTED WITHIN								
		BE	21 DAYS FROM THE DATE OF SHIPMENT								
		PRESENTED									
17	49	CONFIRMATION	WITH / WITHOUT								
		INSTRUCTIONS	WIIII / WIIIIOO1								
18	78		1. THIS CREDIT IS SUBJECT TO UCPDC (2007								
			REVISION) ICC PUBLICATION NO. 600.								
			2. ON RECEIPT OF DOCUMENTS AT OUR								
			COUNTRIES IN STRICT COMPLIANCE WITH LC TERMS AND CONDITIONS WE SHALL REMIT								
		INSTRUCTION TO THE PAYING /	PROCEEDS AS PER YOR INSTRUCTIONS.								
		ACCEPTING BANK NARRATIVE	3. OUR CHARGES FOR DISCREPANT								
			DOCUMENTS ARE USD 50/								
			4. ALL DOCUMENTS IN ONE LOT TO STATEMENT								
			OF INDIA, COMMERCIAL BRANCH, SHREE VIDYADHIRAJ BHAVAN, F.L. GOMES ROAD,								
			VASCO DA GAMA, GOA, INDIA 403802								
19	57A	CREDIT TO BE ADVISED TO	STATE BANK OF INDIA FOREIGN BRANCH								
		THE BENEFICIARY THROUGH	(SHOULD BE SAME AS AT 41A) / BENEFICIARY								
		(BANK) NAME & ADDRESS	BANK								
		ADVICE THRU BANK									
	J										

Annexure-V

TECNOCOMMERCIAL COMPLIANCE STATEMENT FOR SUPPLY OF HIGH PERFORMANCE LABORATORY REFRIGERATOR AND FREEZER

And Freezer High Performance Laboratory Refrigerator and Freezer Capacity: 10°C (±2°C) High Performance Laboratory Refrigerator and Freezer Capacity: 10°C (±2°C) High Performance Laboratory Refrigerator and Freezer Capacity Refrigerator and Freezer Capacity (±5°C) High Performance Laboratory Refrigerator Preezer High Performance Laboratory Refrigerator and Freezer Capacity Refrigerator and Freezer Capacity (±5°C) High Performance Laboratory Refrigerator and Freezer Capacity Refrigerator and Freezer Capacity (±5°C) High Performance Laboratory Refrigerator and Freezer Capacity Refrigerator and Freezer Capacity (±5°C) High Performance Laboratory Refrigerator and Freezer Capacity (±5°C) High Performance High Preezer C	Complied	
Aigh Performance Laboratory Refrigerator and Freezer Specifications: Type: Combination of vertically arranged Refrigerator and Freezer Refrigerator: Min +1°C (±2°C), Max +10°C (±5°C) Treezer: Min -10°C (±2°C), Max -25°C(±5°C) Refrigerator and Freezer capacity: 160L ±10L (Each) To. of Compressor: 2 Door: 2 Solid doors (Door should not contain any racks) Display: Digital display for temperature for each compartment Marms: Open door alarm, High / Low temperature alarm, Power failure alarm, Probe failure alarm, Alarm display as text. Defrost: Frost free system without affecting the set temperature. Door Lock: Key Lock or number lock system Electrical rating: 220-240 VAC, 50/60 Hz Refrigerator and Freezer (W×D×H): (450×575×700mm) ± 50mm External Dimensions (W×D×H): (500 ×600 ×1900mm) ± 100mm Wheels: Standard caster (10.5 cm) Accessories: Cable Racks-At least 2-3 racks in both freezer and refrigerator, 3 Trays with		
Refrigerators: Refrigerator: Min +1°C (±2°C), Max +10°C (±5°C) Refrigerator and Freezer (±2°C), Max +10°C (±5°C) Refrigerator and Freezer capacity: 160L ±10L (Each) Refrigerator: 2 Refrigerator: 2 Refrigerator: 2 Refrigerator: 3 Refrigerator: 4 Refrigerator: 4 Refrigerator: 5 Refrigerator: 5 Refrigerator: 6 Refrigerator: 6 Refrigerator: 6 Refrigerator: 7 Refrigerator: 8 Refrigerator: 8 Refrigerator: 8 Refrigerator: 8 Refrigerator: 8 Refrigerator: 10 Refrigerator: 10 Refrigerator: 10 Refrigerator: 7 Refrigerator: 7 Refrigerator: 8 Refrigerator: 10 Refrigera		
Refrigerator: Min +1°C (±2°C), Max +10°C (±5°C) Refrigerator: Min +1°C (±2°C), Max +10°C (±5°C) Refrigerator and Freezer capacity: 160L ±10L (Each) Refrigerator: 2 Coor should not contain any racks) Refrigerator: 2 Coor should not contain any racks Refrigerator: 2		
Refrigerator and Freezer capacity: 160L±10L (Each) Refrigerator: 2 Solid doors (Door should not contain any racks) Refrigerator: 2 Door temperature for each compartment capacity. Refrigerator: 3 Frost free system without affecting the set temperature. Refrigerator: 4 Solid Comparison: 2 Solid Comparison: 2 Solid Comparison: 3 Solid Comparison: 4 Solid		
Refrigerator and Freezer capacity: 160L ±10L (Each) No. of Compressor: 2 Door: 2 Solid doors (Door should not contain any racks) Display: Digital display for temperature for each compartment Marms: Open door alarm, High / Low temperature alarm, Power failure clarm, Probe failure alarm, Alarm display as text. Defrost: Frost free system without affecting the set temperature. Door Lock: Key Lock or number lock system Electrical rating: 220-240 VAC, 50/60 Hz Refrigerator and Freezer (W×D×H): (450×575×700mm) ± 50mm External Dimensions (W×D×H): (500 ×600 ×1900mm) ± 100mm Wheels: Standard caster (10.5 cm) Accessories: Cable Racks-At least 2-3 racks in both freezer and refrigerator, 3 Trays with		
Joor: 2 Solid doors (Door should not contain any racks) Display: Digital display for temperature for each compartment Marms: Open door alarm, High / Low temperature alarm, Power failure clarm, Probe failure alarm, Alarm display as text. Defrost: Frost free system without affecting the set temperature. Door Lock: Key Lock or number lock system Electrical rating: 220-240 VAC, 50/60 Hz Refrigerator and Freezer (W×D×H): (450×575×700mm) ± 50mm External Dimensions (W×D×H): (500 ×600 ×1900mm) ± 100mm Wheels: Standard caster (10.5 cm) Accessories: Cable Racks-At least 2-3 racks in both freezer and refrigerator, 3 Trays with		
Coor: 2 Solid doors (Door should not contain any racks) Display: Digital display for temperature for each compartment Marms: Open door alarm, High / Low temperature alarm, Power failure clarm, Probe failure alarm, Alarm display as text. Defrost: Frost free system without affecting the set temperature. Door Lock: Key Lock or number lock system Electrical rating: 220-240 VAC, 50/60 Hz Refrigerator and Freezer (W×D×H): (450×575×700mm) ± 50mm External Dimensions (W×D×H): (500×600×1900mm) ± 100mm Wheels: Standard caster (10.5 cm) Accessories: Cable Racks-At least 2-3 racks in both freezer and refrigerator, 3 Trays with		
Display: Digital display for temperature for each compartment Marms: Open door alarm, High / Low temperature alarm, Power failure darm, Probe failure alarm, Alarm display as text. Defrost: Frost free system without affecting the set temperature. Door Lock: Key Lock or number lock system Electrical rating: 220-240 VAC, 50/60 Hz Refrigerator and Freezer (W×D×H): (450×575×700mm) ± 50mm External Dimensions (W×D×H): (500×600×1900mm) ± 100mm Wheels: Standard caster (10.5 cm) Accessories: Cable Racks-At least 2-3 racks in both freezer and refrigerator, 3 Trays with		
Alarms: Open door alarm, High / Low temperature alarm, Power failure darm, Probe failure alarm, Alarm display as text. Defrost: Frost free system without affecting the set temperature. Door Lock: Key Lock or number lock system Electrical rating: 220-240 VAC, 50/60 Hz Refrigerator and Freezer (W×D×H): (450×575×700mm) ± 50mm External Dimensions (W×D×H): (500×600×1900mm) ± 100mm Wheels: Standard caster (10.5 cm) Accessories: Cable Racks-At least 2-3 racks in both freezer and refrigerator, 3 Trays with		
clarm, Probe failure alarm, Alarm display as text. Defrost: Frost free system without affecting the set temperature. Door Lock: Key Lock or number lock system Clectrical rating: 220-240 VAC, 50/60 Hz Refrigerator and Freezer (W×D×H): (450×575×700mm) ± 50mm Caternal Dimensions (W×D×H): (500×600×1900mm) ± 100mm Wheels: Standard caster (10.5 cm) Accessories: Cable Racks-At least 2-3 racks in both freezer and refrigerator, 3 Trays with		
Defrost: Frost free system without affecting the set temperature. Door Lock: Key Lock or number lock system Electrical rating: 220-240 VAC, 50/60 Hz Refrigerator and Freezer (W×D×H): (450×575×700mm) ± 50mm External Dimensions (W×D×H): (500 ×600 ×1900mm) ± 100mm Wheels: Standard caster (10.5 cm) Accessories: Cable Racks-At least 2-3 racks in both freezer and refrigerator, 3 Trays with		
Clectrical rating: 220-240 VAC, 50/60 Hz Refrigerator and Freezer (W×D×H): (450×575×700mm) ± 50mm External Dimensions (W×D×H): (500 ×600 ×1900mm) ± 100mm Wheels: Standard caster (10.5 cm) Accessories: Cable Racks-At least 2-3 racks in both freezer and refrigerator, 3 Trays with		
Refrigerator and Freezer (W×D×H): (450×575×700mm) ± 50mm External Dimensions (W×D×H): (500 ×600 ×1900mm) ± 100mm Wheels: Standard caster (10.5 cm) Accessories: Cable Racks-At least 2-3 racks in both freezer and refrigerator, 3 Trays with		
External Dimensions (W×D×H): (500 ×600 ×1900mm) ± 100mm Wheels: Standard caster (10.5 cm) Accessories: Cable Racks-At least 2-3 racks in both freezer and refrigerator, 3 Trays with		
Wheels: Standard caster (10.5 cm) Accessories: Cable Racks-At least 2-3 racks in both freezer and refrigerator, 3 Trays with		
Accessories: Cable Racks-At least 2-3 racks in both freezer and refrigerator, 3 Trays with		ĺ
Racks-At least 2-3 racks in both freezer and refrigerator, 3 Trays with		
nterchangeable rack positions.		
Stabilizer- Compatible stabilizer with warranty certification		
Varranty: 1 Years for instrument		
Compressor warranty: Minimum 3 years		
Certifications: CE Certified		
nstallation and Demonstration should be in NCAOR Laboratory.	77 / BT -	
no optional item is quoted	Yes/No	
n case of Bid submitted by other than original equipment	Yes/No	
nanufacturer (OEM) or original supplier, whether authorization		
, , ,		
-		
, , ,		
es attached copy of the same		
Whether PBG (wherever applicable) as per tender will be	Yes/No	
provided after placement of purchase order		
1		
Inconditional tender acceptance as per tender is signed by the	Yes/No	
	•	
nader as cholosed to the tender		
Whether the Un-priced Bid is enclosed as per price hid format of	Yes/No	
ne render (applicable for two blu system of tender)		
Acceptance of NCAOR LC terms (as per Annexure) in case of	Yes/No	
- , - , -	100/110	
A payment is opicu.		
Jo price is mentioned/quoted in the Techno Commercial Did	Vec/Ne	
	169/110	
applicable for fow bid system only)		1
nn e u we Work Work Work Work Work Work Work Work	o optional item is quoted a case of Bid submitted by other than original equipment annufacturer (OEM) or original supplier, whether authorization etter from them to quote on behalf of them or valid certificate as authorized distributor/agent/dealer from them is available. If the estatached copy of the same Thether PBG (wherever applicable) as per tender will be provided after placement of purchase order	rease of Bid submitted by other than original equipment annufacturer (OEM) or original supplier, whether authorization atter from them to quote on behalf of them or valid certificate as authorized distributor/agent/dealer from them is available. If es attached copy of the same Thether PBG (wherever applicable) as per tender will be rovided after placement of purchase order The enclosed to the tender The the Un-priced Bid is enclosed as per price bid format of the Tender (applicable for two bid system of tender) The transport of NCAOR LC terms (as per Annexure) in case of C payment is opted. The price is mentioned/quoted in the Techno-Commercial Bid Yes/No Yes/No Yes/No Yes/No Yes/No

TENDER ACCEPTANCE UNDERTAKING

The Director,		

NCAOR, Headland Sada,

Vasco - Goa.

To

Having examined the tender document for "SUPPLY OF HIGH PERFORMANCE LABORATORY REFRIGERATOR AND FREEZER" we undersigned hereby offer to supply the equipment in conformity with all specifications and conditions set out in the tender document and price as quoted in the price bid.

We enclosed all the relevant documents as per the tender.

We understand that you are not bound to accept the lowest or any tender received.

Date:

(Signature of Bidder)

Name :

Designation:

Seal