



NATIONAL CENTRE FOR ANTARCTIC & OCEAN RESEARCH

Ministry of Earth Sciences Government of India) Headland Sada, Vasco da Gama Goa - 403 804 - INDIA

> Tel/Fax No.: 0091 0832 2525573 Email:warlu62@ncaor.gov.in

PROCUREMENT SECTION

INDIGENOUS ENQUIRY	Ref. No.:	AES-11361
M/s.	Date:	01.09.2015
	Due Date:	21.09.2015

Dear Sirs,

We require the following items for XXXV - Indian Antarctic Expedition. Manufacturers, dealers, distributors/authorized agents are requested to send offer for the following items as per the terms and conditions mentioned below and in Annexure II.

SL. NO.	ITEM DESCRIPTION	QUANTITY
01.	Electrical Items (As per Annexure-I)	(As per Annexure-I)

Your offer should contain the following information:

- 1. Validity period
- 2. Quantity / Trade discounts, if any.
- 3. Delivery Schedules.
- 4. Terms of Price.
- 5. Mode of Despatch.
- 6. Taxes/VAT applicable with Full Rate/Percentage ('C' / 'D' form not available).
- 7. Indicate if Excise Duty included or extra and Rate/Not Applicable.
- 8. Guarantee / Warrantee:
- 9. Please specify Brand/Make Model of the items:

NOTE: Please enclose a copy of valid certificate to substantiate as Authorized Dealer, Agent, Stockist or Trader, to consider your quotation.

Also confirm that "the rates quoted by you are reasonable and lowest charged to any of your customer".

Please submit your quotation strictly as per the format given in Annexure-I.

Yours faithfully,

Sd/-

									AES-1	<u>11361</u>	
SR. NO.	NAME OF ITEM	QTY.	BRAND / MAKE	UNIT OF MEASU- REMENT	Unit RATE (1)	DISCO UNT	Unit rate after discount	TAXES / VAT	Unit rate after discount with taxes/VAT	AMOUNT (I)	
1	2	3	4	5	6	7	8	9	10	11*	
	Electrical items	40.4 N									
1	CFL - 32 Watt Philips	134 Nos									
2	Choke - PC 26/32/42 TCT PRO Art No. 22088329 Digital Blast Not Dimmable Philips	134 Nos									
3	Light Fixture - Zumtobel,PANOS LG 1/32W TC-TEL EVG 200 WH Zumtobel	134 Nos									
4	CFL - 18 Watt	66 Nos									
5	Philips Choke - PC 26/32/42 TCT PRO Art No. 22088329 Digital Blast Not Dimmable Philips	33 Nos									
6	Light Fixture - Zumtobel,PANOS-A LG 2/18W TC-TELI EVG 200 WH Zumtobel	33 Nos									
7	FTL - OSARAM, Lumilux, Color white,HE 35W/840 OSARAM	88 Nos									
8	Choke - OSRAM, A1 BAT, AC/DC 198V to 264V OSARAM	88 Nos									
	Range of Battery Voltage: 154V to 276V Preheat time 0.6Sec, Connecte										
	PE to case or PIN 4, Made in china	000 N									
9	FTL - Philips Master TL5 HO 54W/840 Philips	228 Nos									
10	Choke - Multi-Lamp Technology, MLS80.1F- 01/220-240, Order no. 166312,	228 Nos									
11	Light Fixture - TRILUX,Product information 3621RSX/28/54 E Trilux	141 Nos									
12	Light Fixture - Trilux,Product information Aragon 128/54 S E Trilux	87 Nos									
13	FTL - Philips,Master TL5 HO,90 De Luxe 54W/965, Philips	24 Nos									
14	Light Fixture - Zumtobel,CLEAN S-C 2/54W T16 ESG Zumtobel	12 Nos									
15	CFL - PHILIPS,MASTER PL- C,26W/830/4P Philips	24 Nos									
16	Light Fixture - HOFFMEISTER,TC DEL / TC S / T26,Art No-0.41537.44-910 HoffMeister	24 Nos									
17	Choke - TRIDONIC,PC 1*26W BASIC SI,Art no.22176002 Tridonic	24 Nos									
18	PHILIPS (COOL DAY LIGHT), PL-S, 865/2P, 9 WATT Philips	125 Nos									
19	TUBE LIGHT 2 FEET , 18 WATT Philips	75 Nos									
20	TUBE LIGHT 4 FEET 40 WATT Philips	150 Nos									
21	C.F.L. LIGHT 78 WATT 240 VOLT Havells/Philips/Eveready/CG/Surya	50 Nos									
22	C.F.L. LIGHT 23 WATT 240 VOLT Havells/Philips/Eveready/CG/Surya	50 Nos									
23	HALOGEN LAMP 1000 WATT 240 VOLT Havells/Philips/Eveready/CG/Surya	30 Nos									
24	HALOGEN LAMP 500 WATT 240 VOLT Havells/Philips/Eveready/CG/Surya	30 Nos									
25	BULB SODIUM VAPOUR 250 WATT	10 Nos									

	Hayalla/Bhiling/Eyaraady/CC/Surva			ı	ı		1
26	Havells/Philips/Eveready/CG/Surya SODIUM VAPOUR (HPSV) IGNITOR , 240 VOLT	25 Nos					
27	Havells/Philips/Eveready/CG/Surya BULBS 100 WATT	20 Nos					
28	Havells/Philips/Eveready/CG/Surya BULBS 200 WATT	10 Nos					
20	Havells/Philips/Eveready/CG/Surya						
29	LAMP HOLDER (E27) PIN TYPE Havells/Philips/Eveready/CG/Surya/	20 Nos					
	Anchor						
30	HALOGEN LAMP SET , HALOLITE, TYPE - QVF 135, 500 WATT.	10 Nos					
	Havells/Philips/Eveready/CG/Surya/ Anchor						
31	PENTA ANCHOR SWITCH 6 AMP. 240 VOLT Anchor	20 Nos					
32	PENTA ANCHOR SOCKET 6 AMP. 240 VOLT Anchor	20 Nos					
33	PENTA ANCHOR SWITCH & SOCKET 6 AMP. 240 VOLT, WITH BOX. Anchor	10 Nos					
34	PENTA ANCHOR 3 PIN PLUG 6 AMP. 240 VOLT Anchor	20 Nos					
35	PENTA ANCHOR SOCKET 2PIN 6 AMP. 240 VOLT Anchor	20 Nos					
36	PENTA ANCHOR , 2 PIN PLUG (MELE & FEMELE) 6 AMP. 240 VOLT	30 Nos					
37	Anchor PENTA ANCHOR 3 PIN POWER PLUG 16 AMP. 240 VOLT	20 Nos					
38	Anchor PENTA ANCHOR POWER SWITCH 16 AMP. 240 VOLT	20 Nos					
39	Anchor PENTA ANCHOR POWER SOCKET (5PIN) 16 AMP. 240	20 Nos					
	VOLT Anchor	40.11					
40	PENTA ANCHOR POWER SWITCH &SOCKET 16 AMP. 240 VOLT Anchor	10 Nos					
41	PENTA ANCHOR POWER SWITCH &SOCKET 16 AMP. 240 VOLT, Anchor	10 Nos					
	WITH FUSE AND LIGHT INDICATOR						
42	PENTA ANCHOR POWER SWITCH &SOCKET 16 AMP. 240 VOLT, WITH BOX. Anchor	10 Nos					
43	HOT AIR BLOWER BAJAJ 1 KW. POWER 240 VOLT Bajaj	5 Nos					
44	EVEREADY DIGI LED 180, HL 51, EMERGENCY REACHRGEABLE LIGHT Eveready	5 Nos					
45	EVEREADY DIGI LED 1 WATT TOURCH RECHAGEABLE Eveready	4 Nos					
46	AVO METTER DIGITAL	1 Nos					
47	EMERY PAPER	20 Nos					
48	LINE TESTER	4 Nos					
49	DURACELL 9VOLT, MN1604- 6LR61 Duracell	5 Nos					
50	THREE PHASE PLUG &SOCKET (MALE & FEMAL) 440 VOLT 32 AMP. ,4 PIN. Anchor/Havells/Legrand/Schneider	5 Nos					
51	EXTENTION BOARD 5 Amp four sockets amd 15 Amp 2 socket with	5 Nos					
52	MOTOR STARTERS AND CONTACTORS, TYPE -NEI 1 , 7.5 H.P. ,	6 Nos					
	GIVEN COMPLETE PROTECTION IN CASE OF SINGLE PHASE,						
	OVERLOADING AND UNDER VOLTAGE 440 VOLT , 3 PHASE , 50 Hz.						
53	HOT WATER HEATER	20 Nos					

	FEMALE SOCKET 16 AMP.					
	240 VOLT					
54	TEMPERATUR CONTROLLER, A LOT - DTC - 202,RANG 0-400DRGEE Anchor/Havells/Legrand/Schneider	25 Nos				
	,SET - TWO POINT, CUTPUT - C/O 6AMP. , SUPPLY 230 V. A.C					
	WITH THERMO COUPLE					
55	M.C.B. (MINIATURE CIRCUIT BREAKER SINGLE POLE , 440 VOLTAGE, 5AMP. Anchor/Havells/Legrand/Schneider	10 Nos				
56	M.C.B. (MINIATURE CIRCUIT BREAKER SINGLE POLE , 440 VOLTAGE, 10 AMP. Anchor/Havells/Legrand/Schneider	10 Nos				
57	M.C.B. (MINIATURE CIRCUIT BREAKER SINGLE POLE , 440 VOLTAGE, 16AMP. Anchor/Havells/Legrand/Schneider	10 Nos				
58	M.C.B. (MINIATURE CIRCUIT BREAKER SINGLE POLE , 440 VOLTAGE, 20 AMP. Anchor/Havells/Legrand/Schneider	30 Nos				
59	M.C.B. (MINIATURE CIRCUIT BREAKER SINGLE POLE , 440 VOLTAGE, 25 AMP. Anchor/Havells/Legrand/Schneider	20 Nos				
60	M.C.B. (MINIATURE CIRCUIT BREAKER SINGLE POLE , 440 VOLTAGE, 23 AMP. Anchor/Havells/Legrand/Schneider	20 Nos				
61	M.C.B. (MINIATURE CIRCUIT BREAKER TWO POLE , 440 VOLTAGE, 5AMP. Anchor/Havells/Legrand/Schneider	10 Nos				
62	M.C.B. (MINIATURE CIRCUIT BREAKER TWO POLE , 440 VOLTAGE, 10 AMP. Anchor/Havells/Legrand/Schneider	10 Nos				
63	M.C.B. (MINIATURE CIRCUIT BREAKER TWO POLE, 440 VOLTAGE, 20 AMP. Anchor/Havells/Legrand/Schneider	10 Nos				
64	M.C.B. (MINIATURE CIRCUIT BREAKER TWO POLE, 440 VOLTAGE, 32 AMP. Anchor/Havells/Legrand/Schneider	10 Nos				
65	M.C.B. (MINIATURE CIRCUIT BREAKER THREE POLE, 440 VOLTAGE, 32 AMP. Anchor/Havells/Legrand/Schneider	10 Nos				
66	M.C.B. (MINIATURE CIRCUIT BREAKER THREE POLE, 440 VOLTAGE, 63 AMP. Anchor/Havells/Legrand/Schneider	10 Nos				
67	M.C.B. (MINIATURE CIRCUIT BREAKER 4 POLE, 440 VOLTAGE, 32 AMP. Anchor/Havells/Legrand/Schneider	20 Nos				
68	M.C.B. (MINIATURE CIRCUIT BREAKER THREE POLE , 440 VOLTAGE, 63 AMP. Anchor/Havells/Legrand/Schneider	20 Nos				
69	ELECTRICA CONTACT CLEANER WD- 40	600 mtr				
70	ELECTRICAL EARTHING WIRE (26 M.M.) Havells/Anchor	500 mtr				
71	Teflon Wire 2 core 1 mm with Rubber insulation (WORKING - 40 DRGEE. VERY LOW TEMP)	200 mtr				
72	Teflon Wire Single core 2.5 mm with Rubber insulation (WORKING -40 DRGEE. VERY LOW TEMP)	200 mtr				
73	Teflon Wire 4 core 1 mm Rubber insulation (WORKING - 40 DRGEE. VERY LOW TEMP)	200 mtr				
74	Teflon Wire 4 core 1.5 mm Rubber insulation (WORKING - 40 DRGEE. VERY LOW TEMP)	300 mtr				
75	Teflon Wire 4 core 2.5 mm Rubber insulation (WORKING - 40 DRGEE. VERY LOW TEMP)	800 mtr				
76	Teflon Wire 4 core 4 mm Rubber insulation (WORKING - 40 DRGEE. VERY LOW TEMP)	500 mtr		_		

			1	1	1		1	
77	Teflon Wire 6 core 1 mm Rubber insulation (WORKING -	600 mtr						
	40 DRGEE. VERY LOW TEMP)							
78	Euroclean Power Clean Eureka Forbes	5 mtr						
79	LED Bulb 25 W Eveready/Philips	40 mtr						
80	LED Bulb 12 W Eveready/Philips	40 mtr						
81	LED Bulb 9 W Eveready/Philips	40 mtr						
82	LED Bulb 7 W Eveready/Philips	40 mtr						
83	LED Bulb 5 W Eveready/Philips	40 mtr						
84	LED Tube Light 8 W Eveready/Philips	40 mtr						
85	LED Tube Light 16 W Eveready/Philips	40 mtr						
86	LED Tube Light 20 W Eveready/Philips	40 mtr						
87	1.5 mm core electrical wire Class 5 fire Proof in Red.	4 Bundles						
	Yellow, Blue, Green & Black	of each						
	Finolex/Havells/Anchor	colour						
88	2.5 mm core electrical wire Class 5 fire Proof in Red,	4						
	Yellow, Blue, Green & Black	Bundles						
	Finolex/Havells/Anchor	of each colour						
89	4.0 mm core electrical wire	4						
0 7	Class 5 fire Proof in Red,	Bundles						
	Yellow, Blue, Green & Black	of each						
	Finolex/Havells/Anchor	colour						
90	6.0 mm core electrical wire	4						
	Class 5 fire Proof in Red, Yellow, Blue, Green & Black	Bundles						
	Finolex/Havells/Anchor	of each						
		colour						

* Amount in column no. 11 to be mentioned multiplying the quantity with unit rate arrived at column no. 10 i.e. after discount and taxes if any (column 3 x column 10).	0
(RUPEES)	
Signature:	
Date:	
Seal:	

Note: 1. Please submit your rates for the items exactly as per the format by providing the necessary details in each column duly signed and sealed.

2. Quotations should preferably be typed and without any corrections and over writings.

PURCHASE ENQUIRY - GENERAL TERMS AND CONDITIONS

- 1. This quotation and any order resulting from this Enquiry shall be governed by Terms and Conditions mentioned in this enquiry.
- 2. Where counter terms and conditions of business have been offered by this supplier, we shall not be deemed to be governed by these unless our specific written/ acceptance there of has been given.
- 3. No conditions and terms notice of which has not been given by the Supplier while submitting quotation will be considered by us if put forward in subsequent correspondence.
- 4. **Quotation :** Quotation should be submitted in a envelope super scribed with Enquiry Number and Due Date and the same must reach our office on or before the Due Date by 17.30 hrs (IST).
- 5. **Specifications :** Materials should be offered strictly conforming to our specification. The deviation in specification if any should be clearly indicated by the supplier in his quotation. The supplier should also indicate make/type No. of the materials offered. Vague terms such as Best Indian, Best Indigenous. Imported Make should not be used.
- 6. The rate quoted against each should be in units stated in the Enquiry. Where quotations are in terms of units other than those specified, relationship between the two sets of units must be furnished.
- 7. **Samples:** Samples where asked for shall be submitted, free of all charges and should reach us before the Due Date of the Enquiry. Sample must be carefully packed and labelled clearly with enquiry No. & due date. We shall not be responsible in any way for the loss or damage of samples due to any reasons whatsoever. In the event of the non-acceptance of offer, supplier will have to remove the samples at his own expenses.
- 8. **Terms of prices:** Quotation should be submitted on F.O.R. Vasco or F.O.R. Destination price including transit Insurance. Preference will be given to such quotations. For quotations Ex-Works, Ex-godown/F.O.R. Despatching Station, the approximate packing, forwarding & freight should be indicated by the supplier. Quotations from Local Suppliers should be delivered at our stores.
- 9. **Validity:** The quotation should remain valid for a minimum period of 90 days from the Due Date of the Enquiry.
- 10. **Sales Tax : NCAOR is not entitled to issue Form C or D.** No Sales Tax or any other tax shall be payable by us unless payment of the same is specifically mentioned by the suppliers in their quotation and same is legally leviable.
- 11. NCAOR is exempted from payment of Excise duty / Custom duty as per Government notification hence the rate should be split into Basic Cost and Excise Duty, if any.
- 12. **Duties / Taxes**: Approximate percentage to be charged should be clearly mentioned in the quotation.
- 13. **Insurance :** The supplier will be responsible for and should cover, the insurance for all transit risks if the terms of prices are F.O.R. Vasco or F.O.R. Destination unless otherwise stated specifically by the supplier in his quotation.
- 14. **Delivery**: Preference will be given to Ex-Stock offers Suppliers submitting quotation on forward delivery basis must indicate earliest firm delivery date by which the materials will be despatched by them from the date of receipt of order. Offer such as "Ex-stock Subject to prior Sale" or "Delivery at the earliest" may not be entertained.
- 15. **Inspection:** Material on its arrival at our site will be inspected by our Inspection Department and their decision in the matter will be considered final and binding on the Supplier.
- 16. **Payment :** Payment for accepted quantity will be made as agreed to while placing order. Discount, Rebate, if any, for early Payment should be clearly stated.
- 17. Director NCAOR reserves the right to reject any or all the offers received or to accept any offer wholly or in a part of order of a lesser quantity without assigning any reason. The tenders shall be bounded to execute such an order.
- 18. In case the supplier does not deliver the goods according to the delivery schedule, he will be liable to pay 0.5% of the value of the goods not delivered according to schedule, as liquidated damages for delay of week or party thereof subject to maximum 5% of the value of goods not delivered, without prejudice to the right of NCAOR
- 19. In case an order placed by the NCAOR based on the quotation submitted by the supplier is not executed by him, the NCAOR may buy the ordered goods from elsewhere and recover, the additional amount if may have to spend in procuring the stores plus 10% to cover the incidental expenses.
- 20. All disputes arising in connection with executing the purchase order will be subject to the Jurisdiction of the Courts in Goa only.

Sd/-Executive (Procurement) For and on behalf of Director, NCAOR