


TENDER DOCUMENT FOR



*SUPPLY OF FULLY AUTOMATED
CONTINUOUS FLOW ANALYSER FOR
NUTRIENTS AND WET CHEMISTRY
ANALYSIS*

*NATIONAL CENTRE FOR ANTARCTIC & OCEAN RESEARCH
(Ministry of Earth Sciences, Govt. Of India)
Headland Sada, Vasco-da-Gama
GOA -403 804, INDIA.*

Tel: 91- (0) 832 2525571 Telefax: 91- (0) 832 2525573

Email: warlu62@ncaor.gov.in

Website: www.ncaor.gov.in

NATIONAL CENTRE FOR ANTARCTIC & OCEAN RESEARCH
 (Ministry of Earth Sciences, Govt. Of India),
 HEADLAND SADA, VASCO-DA-GAMA,
 GOA - 403 804

TENDER NO. NCAOR/SOE-50356/PT-34
TENDER FOR SUPPLY OF FULLY AUTOMATED CONTINUOUS FLOW ANALYSER FOR
NUTRIENTS AND WET CHEMISTRY ANALYSIS.

1.	SUPPLY OF FULLY AUTOMATED CONTINUOUS FLOW ANALYSER FOR NUTRIENTS AND WET CHEMISTRY ANALYSIS Quantity-Specification-	As per Annexure I As per Annexure I
2.	General Terms and Conditions	As per Annexure II
3.	Cost of Tender Documents (In Person)	US\$ 50.00 ` 1000.00
4.	Cost of Tender Documents (By Post)	US\$ 65.00 ` 1050.00
5.	EMD	<p>Tender documents can be downloaded by tenderers from NCAOR website. In case a tenderer is using the documents and forms downloaded from the website, the cost of tender documents shall be sent in the form of Bank Draft in a separate envelope along with the tender.</p> <p>A) Foreign Bidders shall submit EMD along with their tender, in the form of a bank guarantee only for US\$ 1800.00 (US Dollar One Thousand Eight Hundred only)</p> <p>B) Indian Bidders shall submit EMD along with their tender, either by DD drawn in favor of NCAOR, for a sum of ` 50,000.00 (Rupees Fifty Thousand only) payable at Vasco-da-Gama only.</p> <p style="text-align: center;">Or</p> <p>In the form of a bank guarantee for a sum of ` 50,000.00 (Rupees Fifty Thousand only)</p>
6.	Last Date and time for issue of tender documents	MONDAY 13.10.2014 1600 Hrs (IST)
7.	Last Date and time for submission of sealed quotations	TUESDAY 14.10.2014 1700Hrs (IST)
8.	Date and time of tender opening	WEDNESDAY 15.10.2014 1000Hrs (IST)

TECHNICAL SPECIFICATIONS FOR SUPPLY OF FULLY AUTOMATED CONTINUOUS FLOW ANALYSER FOR NUTRIENTS AND WET CHEMISTRY ANALYSIS.

Fully automated continuous flow analyzer for nutrients and wet chemistry analysis. The system should be capable to analyse Nitrate-nitrite, Ammonia Total nitrogen, Orthophosphate-Total Phosphate, Silicate, and Urea in sea water. Methods of analysis for each parameter to be supported with application document.

The instrument should have the following working ranges:

For Nitrate-nitrite: 1-1000 ppb N

For Ammonia-Total N: 1-500 ppb N

For Orthophosphate-Total Phosphate: 1-700 ppb P

For Silicate: 1-250 ppb Si

For Urea: 5-500 ppb N

Chemical reaction manifolds to be supplied with pre connected tubes, relevant accessories like PC- controlled heating bath, cadmium, connectors etc., For Total Nitrogen the module should have built in (in-line) UV-digestion facility. Flow cells are to be coated black glass to avoid interference of external lights during analysis for better accuracy.

System should consist of:

Sr. No.	Description	Specifications	Qty.
01	PC controlled random Access Sampler	Sample racks for tubes having capacity to hold sample volume not more than 12ml. Total sample cups-at least 100 and not exceeding 150 numbers. XYZ full random access capable. Separate higher volume reservoirs for supply of working standards, blanks. Separate positions with containers to supply calibrate, QCS, and working standards. Built-in rinsing pump. User selectable pump tube sizes for required rinsing liquid volume. Supply of one rinsing liquid. Rinsing vessel with continuous liquid level and appropriate waste outlets for self cleaning. Automatic pre and post dilution of samples. Automatic preparation of working standard solutions for chemistry calibration.	One set
02	Analytical module	Module Holder for 5 chemistry channels as specified above. Equipped with stainless steel pump deck and rollers which can hold multiple pump tube. Multi speed pump function with standby/analyse/fast rinse positions. Built in high precision air injector for the channels for air segmentation. Built in air supply pump. Pressure regulator for air segmentation. Inlet for supply of external inert gas. Multiple positions for temperature control included in chemistry module In line digestion/heating bath facilities with excellent visibilities of analytical processes. Separate waste receptacles. Housing according to CE and CSA regulations.	One set

03	Photometer/ Detectors	Easy accessible high resolution photometer, optimal signal-to-noise ratio for lower detection limit and wider dynamic range, preferably in separate compartment. Automatic matrix correction for salinity effect in seawater samples with varying salinity. Wavelength range 340-1050 nm. Software controlled automatic baseline and peak height settings and lamp switching on-off. Accommodation for at least one flow cell of 50 mm path length. Low signal/noise ration. Modules with flowcell and filters for nitrate-nitrite, Ammonia, Total N, Orthophosphate, Total Phosphate, Silicate and Urea.	One set
04	Data Acquisition software and computers	Interface with automatic data acquisition software with facility for future upgrades. Rapid sample load worktable preparation, Real time graphical visualization for one to multiple channels. Standard calibrations and result calculations considering pre or post dilution factor. Intel core i5 processor, 4GB DDR-3 RAM, 500GB Hard Disk drive SATA, Multidrive DVD-RW, 15.6-17 "Bright view LED display, Intel HD graphics, Built in speakers, Integrated LAN, Bluetooth, 3 USB 2.0, WebCam with integrated mike, Touchpad, Optical mouse,. Licensed MS windows 8 or higher version. Printer compatible for the Analyser.	One set One set
05	KIT	Accessories, Analyzer Start-up kit, consists of pump tubing, sleeves, sampler cups, tool kit and spare part kit. Spares include tubings for different parameters, needle, Cadmium granules, Cd column and all glass coils. User Manual for trouble shooting. Details of the methods of analysis for each parameter should be supplied.	Two sets
06	Installation training and warranty	Supplier should carry out the installation, calibration and impart training at NCAOR. Warranty for the entire instrument (including photometer, detector, flowcell, ASU, Interface and analyzing system) of 12/24 months. AMC costs should be specified	

TECHNICAL COMPLIANCE STATEMENT FOR SUPPLY OF FULLY AUTOMATED CONTINUOUS FLOW ANALYSER FOR NUTRIENTS AND WET CHEMISTRY ANALYSIS.

SR. NO.	SPECIFICATIONS FOR SUPPLY OF FULLY AUTOMATED CONTINUOUS FLOW ANALYSER FOR NUTRIENTS AND WET CHEMISTRY ANALYSIS	COMPLIED/ NOT COMPLIED	EXTRA FEATURES
1	<p>Fully automated continuous flow analyzer for nutrients and wet chemistry analysis. The system should be capable to analyse Nitrate-nitrite, Ammonia Total nitrogen, Orthophosphate-Total Phosphate, Silicate, and Urea in sea water. Methods of analysis for each parameter to be supported with application document.</p> <p>The instrument should have the following working ranges: For Nitrate-nitrite: 1-1000 ppb N For Ammonia-Total N: 1-500 ppb N For Orthophosphate-Total Phosphate: 1-700 ppb P For Silicate: 1-250 ppb Si For Urea: 5-500 ppb N</p> <p>Chemical reaction manifolds to be supplied with pre connected tubes, relevant accessories like PC- controlled heating bath, cadmium, connectors etc., For Total Nitrogen the module should have built in (in-line) UV-digestion facility. Flow cells are to be coated black glass to avoid interference of external lights during analysis for better accuracy.</p>		
	<p>PC controlled random Access Sampler</p> <p>Sample racks for tubes having capacity to hold sample volume not more than 12ml. Total sample cups-at least 100 and not exceeding 150 numbers. XYZ full random access capable. Separate higher volume reservoirs for supply of working standards, blanks. Separate positions with containers to supply calibrate, QCS, and working standards. Built-in rinsing pump. User selectable pump tube sizes for required rinsing liquid volume. Supply of one rinsing liquid. Rinsing vessel with continuous liquid level and appropriate waste outlets for self cleaning. Automatic pre and post dilution of samples. Automatic preparation of working standard solutions for chemistry calibration.</p>		
	<p>Analytical module</p> <p>Module Holder for 5 chemistry channels as specified above. Equipped with stainless steel pump deck and rollers which can hold multiple pump tube. Multi speed pump function with standby/analyse/fast rinse positions. Built in high precision air injector for the channels for air segmentation. Built in air supply pump. Pressure regulator for air segmentation. Inlet for supply of external inert gas. Multiple positions for temperature control included in chemistry module In line digestion/heating bath facilities with excellent visibilities of analytical processes. Separate waste receptacles. Housing according to CE and CSA regulations.</p>		
	<p>Photometer/ Detectors</p> <p>Easy accessible high resolution photometer, optimal signal-to-noise ratio for lower detection limit and wider dynamic range, preferably in separate compartment. Automatic matrix correction for salinity effect in seawater samples with varying salinity. Wavelength range 340-1050 nm. Software controlled automatic baseline and peak height settings and lamp switching on-off. Accommodation for at least one flow cell of 50 mm path length. Low signal/noise ration. Modules with flowcell and filters for nitrate-nitrite, Ammonia, Total N, Orthophosphate, Total Phosphate, Silicate and Urea.</p>		
	<p>Data Acquisition software and computers</p> <p>Interface with automatic data acquisition software with facility for future upgrades. Rapid sample load worktable preparation, Real time graphical visualization for one to multiple channels. Standard calibrations and result calculations considering pre or post dilution factor.</p> <p>Intel core i5 processor, 4GB DDR-3 RAM, 500GB Hard Disk drive SATA, Multidrive DVD-RW, 15.6-17 "Bright view LED display, Intel HD graphics, Built in speakers, Integrated LAN, Bluetooth, 3 USB 2.0, WebCam with integrated mike, Touchpad, Optical mouse,., Licensed MS windows 8 or higher version. Printer compatible for the Analyser.</p>		
	<p>KIT</p> <p>Accessories, Analyzer Start-up kit, consists of pump tubing, sleeves, sampler cups, tool kit and spare part kit. Spares include tubings for different parameters, needle, Cadmium granules, Cd column and all glass coils. User Manual for trouble shooting. Details of the methods of analysis for each parameter should be supplied.</p>		
	<p>Installation training and warranty</p> <p>Supplier should carry out the installation, calibration and impart training at NCAOR. Warranty for the entire instrument (including photometer, detector, flowcell, ASU, Interface and analyzing system) of 12/24 months. AMC costs should be specified</p>		

TERMS AND CONDITIONS FOR SUBMISSION OF QUOTATION

1) **The National Centre for Antarctic and Ocean Research (NCAOR)** invites sealed quotations in two-parts **from the reputed firms for the “SUPPLY OF FULLY AUTOMATED CONTINUOUS FLOW ANALYSER FOR NUTRIENTS AND WET CHEMISTRY ANALYSIS” as per the specifications given in Annexure I.**

2) The technical and financial Bids should be submitted in two separate sealed covers, super scribing **“Part-I Technical Bid for “SUPPLY OF FULLY AUTOMATED CONTINUOUS FLOW ANALYSER FOR NUTRIENTS AND WET CHEMISTRY ANALYSIS” Tender No., due date and “Part-II Financial Bid for “SUPPLY OF FULLY AUTOMATED CONTINUOUS FLOW ANALYSER FOR NUTRIENTS AND WET CHEMISTRY ANALYSIS” Tender No., due date. Both the bids should be kept in a single cover by super scribing tender for “SUPPLY OF FULLY AUTOMATED CONTINUOUS FLOW ANALYSER FOR NUTRIENTS AND WET CHEMISTRY ANALYSIS”** sealed and addressed to the Director, National Centre for Antarctic and Ocean Research, Headland-Sada, Vasco-da-Gama, Goa-403 804. **Offer sent through fax will not be accepted.**

3) Overwriting and corrections should be attested properly. The bid should be complete in all respects and should be duly signed. **Incomplete and unsigned bids will not be considered at all.**

4) All relevant technical literature pertain to items quoted **with full specifications** (Drawing, if any), information about the products quoted, including brochures if any should accompany the quotation.

5) A list of **reputed clients** to whom the firm has supplied similar items to be furnished along-with the quotation.

In the TECHNICAL BID, the Bidder should furnish the Name and address of the Purchasers placed orders on similar equipment with order No, date, Description and quantity, Date of Supply alongwith Contact person Telephone No, Fax No, and e mail address of Purchaser.

The Bidder should enclose copies of Purchase Orders only in the **FINANCIAL BID.**

6) If the bidder is registered under SSI, NSIC claiming any exemptions should submit valid certificates along with the quotes, failing which quotation will not be considered.

7) Quotation should be **valid for a period of 90 days** from the date of tender opening and the period of delivery required should also be clearly indicated. If the supplier fails to deliver the goods within the time to be agreed upon, for delayed deliveries and for delays in installation (wherever applicable) NCAOR reserves the right to **levy liquidated damages** at the rate of 0.5% per week or part thereof upto maximum of 5%.

8) The **warranty period** and the kind of **post-warranty support** should be indicated. Warranty shall commence from the date of installation and acceptance of the complete equipment supplied under the Purchase Order / Contract.

9) **Technical bid should contain EMD.**

A) **Foreign Bidders** shall submit **EMD** along with their tender **in the form of a bank guarantee** for a sum of US\$ 1800.00 (US Dollar One Thousand Eight Hundred only) from any reputed bank (scheduled bank in India or foreign bank having operational Branch in India) initially valid for 180 days from the date of closing of the tender as per the proforma enclosed. This bank Guarantee in original shall be submitted along with the technical bid only.

B) **Indian Bidders** shall submit **EMD** along with their tender, **either By DD** drawn in favor of NCAOR, on any nationalized bank for a sum of ` 50,000/- (Rupees Fifty Thousand only) payable at Vasco-da-Gama only **or in the form of a bank guarantee** for a sum of ` 50,000/- (Rupees Fifty Thousand only) from any reputed bank (scheduled bank) initially valid for 180 days from the date of closing of the tender as per the proforma enclosed. This bank Guarantee in original shall be submitted along with the technical bid only.

Tender without EMD in the envelope containing technical bid shall be summarily rejected. The EMD of unsuccessful bidders shall be returned within 30 days of the award of contract.

The earnest money will be liable to be forfeited, if the tenderer withdraws or amends, impairs or derogates from the tender in any respect within the period of validity of his tender.

10) Please **specify the Make/Brand** and Name of the Manufacturer with address, country of origin and currency in which rates are quoted.

11) The Purchaser requires that the bidders suppliers and contractors observe the highest standard of ethics during the procurement and execution of such contracts. In pursuit of this policy, the following are defined:

“Corrupt practice” means the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence the action of a public official in the procurement process or in contract execution:

“fraudulent practice” means a misrepresentation or omission of facts in order to influence a procurement process or the execution of contract;

“collusive practice” means a scheme or arrangement between two or more bidders, with or without the knowledge of purchaser, designed to establish bid prices at artificial, noncompetitive levels; and

“coercive practice: means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in the procurement process or affect the execution of contract;

The purchaser will reject a proposal for award if it determines that the Bidder recommended for award has, directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for the contract in question; The Decision of Director, NCAOR shall be final and binding.

12) Bidders that doesn't manufacture the goods it offers to supply shall submit Manufacturer's Authorization form on the letterhead of the Manufacturer duly signed and stamped by a person with the proper authority to sign documents that are binding on the Manufacturer as per the following format should be submitted failing which the quotation will not be considered.

To
The Director
NCAOR
GOA

Sub: Manufacturers' Authorization form against Tender No:_____

We_____ (Name of the Manufacturer) who are official manufacturers of _____ (Type of goods manufactured) having factories at _____ (full address of Manufacturer's factories) do hereby authorize _____ (Name of the Bidder) to submit a bid against your Tender No._____ for the _____ Goods manufactured by us and to subsequently negotiate and sign the contract.

We hereby extend our full guarantee and warranty with respect to the Goods offered by the above firm

Manufacturer's Name:

Signature of Authorized

representative of the Manufacturer:

Duly authorized to sign this Authorization on behalf of : _____(Name of the Bidder)

Date:

In case the bidder not doing business within India, shall furnish the certificate to the effect that the bidder is or will be represented by an agent in India equipped and able to carry out the supply, maintenance, repair obligations etc., during the warranty and post warranty period or ensure a mechanism at place for carrying out the supply, maintenance, repair obligations etc., during the warranty and post- warranty period.

13) **The order acknowledgement** should be from the principals and if the Indian Agent is empowered to quote and to furnish order acknowledgement, a copy of agreement entered by you with the Indian Agent to be furnished.

14) **Compliance Statement:** Equipments point-by-point comparison/compliance statement with **technical specification** indicated in the tender, should be enclosed along with your tender as well as any other extra features of the equipment be shown separately therein and also **compliance statement for all commercial terms** of the tender document.

15) NCAOR is not entitled to issue form "**C/D**". No Sales Tax or any other Tax shall be payable by us unless payment of the same is specifically mentioned by the suppliers in their bids and same is legally leviable.

16) To avail duty concessions i.e. **Excise Duty** as per Govt. notification 10/97 & **Custom Duty** as per Govt. notification 51/96, NCAOR will provide exemption certificates. Hence, the rates should be split into basic cost and Excise Duty if any.

17) **Technical Bid should contain** all details and specifications of the equipment offered, delivery schedule, warranty, payment term, installation, training, post-warranty, user-list, service support **WITHOUT PRICE** and **Financial bid should contain** details of the price(s) of

the item(s) quoted in the technical bid. The Technical bid should not contain any references to the pricing.

In case the technical bid contains any direct or indirect reference to quoted price the bid is liable to be rejected.

The Prices shall be quoted in Indian Rupees for offers received for supply within India and in freely convertible foreign currency in case of offers received for supply from foreign countries.

For Goods manufactured in India:

F.O.R GOA price should be indicated. However tender should contain item-wise prices including total ex-works price, Excise Duty, VAT/Taxes, Charges for Inland Transportation, Insurance and other local services required for the delivering the goods on F.O.R GOA.

18) In case of imported stores both **FOB and CIF prices upto Indian port of entry** namely Goa and for indigenous stores on F.O.R. destination basis should be indicated. However tender should contain item-wise prices including total ex-works price and cost of packing forwarding, approx. cost of air-freight charges for delivery up to Goa, India.

19) A Committee constituted by the Director, NCAOR for the purpose reserves the right to open the bids. Only technical bids will be opened on the date and time mentioned in the tender document. The financial bids of those tenderers whose technical bids are found to be meeting our specifications only will be opened in their presence at date and time to be notified later.

20) The firm to the full satisfaction of the NCAOR should carry out the **installation and commissioning** at the NCAOR premises and the time-frame for the whole process should be specified in the technical bid.

21)A technical Committee constituted by the Director will assess the product supplied/installed for their quality and their conformity to the specifications provided by the firm in their quotations. Any item(s) identified by the Committee to be not as per the specifications or are found to be of inferior quality will be rejected, and the bills towards the supply will not be processed for payment till proper replacements are provided.

22) **No advance payment** will be made. Payment shall be made by **irrevocable letter of credit** after supply and acceptance of the equipment by NCAOR. The payment will be authorized after submission of a Bank Guarantee for 10% value of the order towards warranty guarantee. The **performance Bank Guarantee** should be furnished within 15 days from the date of placement of order from a reputed bank (scheduled bank in India **or** foreign bank operating in India) valid

till 60 days after the warranty period.

23) Suppliers should clearly define the mechanisms of **post-warranty** maintenance or support. Supplier should undertake to support the product for a minimum period of 5 years (post-warranty). Post Warranty, AMC charges for a period of 3 years (annual bases) should also be quoted separately in the financial bid.

24) If the quoted item needs to be imported then the undertaking needs to be produced from the original supplier stating that Post Warranty support for a minimum period of 7 years will be provided from the original supplier to NCAOR on LC Terms of payment. If payment needs to be made and **spares will be supplied on the lowest rate quoted** than to any other customer with providing the sales price list to the NCAOR periodically as and when increase/decrease in prices.

25) Two sets of operational, service/troubleshooting manuals and diagrams to be supplied with **“SUPPLY OF FULLY AUTOMATED CONTINUOUS FLOW ANALYSER FOR NUTRIENTS AND WET CHEMISTRY ANALYSIS”**.

26) **The submission of tender** shall be deemed to be an admission on the part of the tenderer, had fully acquainted with the specifications, drawings etc. and no claim other than what stated in the tender shall be paid in the event of award of Purchase Order.

27) Expenditure involved towards any extra materials required for labour involved for successful installation of the equipment, if not quoted for, would have to be borne by the tenderer.

28) Acceptance of this tender form and submission of the quote within the stipulated time would be treated as:

- a) The tenderer has understood all requirements as described in our Tender document.
- b) Acceptance to provide/establish all the facilities mentioned in our tender without any price escalation, if the tenderer finds it necessary to add any hardware or software or any other materials during implementation.
- c) Agreeing to execute order to the satisfaction of NCAOR or its authorized representatives within the stipulated time.

29) **Training /Installation charges** should be clearly indicated including the scope of training.

30) Tender should clearly define the **infrastructure facilities required** for installation of the

equipment.

31) NCAOR will not be liable for any obligation until such time NCAOR has communicated to the successful bidder of its decision to release the Purchase Order.

32) **NCAOR will not be responsible for any postal delays.**

33) Bidders shall note that NCAOR will not entertain any correspondence or queries on the status of the offers received against this Tender Invitation.

34) Tenders from Manufacturers/Suppliers/Tenderers whose performance was not satisfactory in respect of quality of supplies and delivery schedules in any organizations, are liable for rejection. The tenders that do not comply with the above criteria and other terms & conditions are liable for rejection.

35) The Director, NCAOR does not bind to accept the lowest quotation and reserves the right to himself, to reject or partly accept any or all the quotations received without assigning any reason.

36) All disputes arising in connection with executing the purchase order will be subject to the Jurisdiction of the Courts in Goa only.

COMMERCIAL COMPLIANCE STATEMENT FOR SUPPLY OF FULLY AUTOMATED CONTINUOUS FLOW ANALYSER FOR NUTRIENTS AND WET CHEMISTRY ANALYSIS.

Sr. No.	COMMERCIAL SPECIFICATION FOR SUPPLY OF FULLY AUTOMATED CONTINUOUS FLOW ANALYSER FOR NUTRIENTS AND WET CHEMISTRY ANALYSIS	COMPLIED/ NOT COMPLIED	EXTRA FEATURES
1	A list of reputed clients to whom the firm has supplied similar items to be furnished along-with the quotation.		
2	In the TECHNICAL BID, the Bidder should furnish the Name and address of the Purchasers placed orders on similar equipment with order No, date, Description and quantity, Date of Supply alongwith Contact person Telephone No, Fax No, and e mail address of Purchaser.		
3	The Bidder should enclose copies of Purchase Orders only in the FINANCIAL BID.		
4	SSI, NSIC Registration Certificate		
5	Quotation should be valid for a period of 90 days from the date of tender opening and the period of delivery required should also be clearly indicated.		
6	The warranty period and the kind of post-warranty support should be indicated. Warranty shall commence from the date of installation and acceptance of the complete equipment supplied under the Purchase Order / Contract.		
7	Foreign Bidders shall submit EMD along with their tender in the form of a bank guarantee for a sum of US\$ 1800.00 (US\$ One Thousand Eight Hundred only) from any reputed bank (scheduled bank in India or foreign bank having operational Branch in India)		
8	Indian Bidders shall submit EMD along with their tender, either By DD drawn in favor of NCAOR, on any nationalized bank for a sum of ` 50,000/- (Rupees Fifty Thousand only) payable at Vasco-da-Gama only or in the form of a bank guarantee for a sum of ` 50,000/- (Rupees Fifty Thousand only) from any reputed bank (scheduled bank)		
9	Please specify the Make/Brand and Name of the Manufacturer with address, country of origin and currency in which rates are quoted.		
10	The order acknowledgement should be from the principals and if the Indian Agent is empowered to quote and to furnish order acknowledgement, a copy of agreement entered by you with the Indian Agent to be furnished.		
11	Compliance Statement: Equipments point-by-point comparison/compliance statement with technical specification indicated in the tender, should be enclosed along with your tender as well as any other extra features of the equipment be shown separately therein and also compliance statement for all commercial terms of the tender document.		
12	NCAOR is not entitled to issue form "C/D". No Sales Tax or any other Tax shall be payable by us unless payment of the same is specifically mentioned by the suppliers in their bids and same is legally leviable.		
13	To avail duty concessions i.e. Excise Duty as per Govt. notification 10/97 & Custom Duty as per Govt. notification 51/96, NCAOR will provide exemption certificates. Hence, the rates should be split into basic cost and Excise Duty if any.		
14	Technical Bid should contain all details and specifications of the equipment offered, delivery schedule, warranty, payment term, installation, training, post-warranty, user-list, service support WITHOUT PRICE and Financial bid should contain details of the price(s) of the item(s) quoted in the technical bid. The Technical bid should not contain any references to the pricing.		
15	In case the technical bid contains any direct or indirect reference to quoted price the bid is liable to be rejected.		

16	The Prices shall be quoted in Indian Rupees for offers received for supply within India and in freely convertible foreign currency in case of offers received for supply from foreign countries.		
17	F.O.R GOA price should be indicated. However tender should contain item-wise prices including total ex-works price, Excise Duty, VAT/Taxes, Charges for Inland Transportation, Insurance and other local services required for the delivering the goods on F.O.R GOA.		
18	In case of imported stores both FOB and CIF prices upto Indian port of entry namely Goa and for indigenous stores on F.O.R. destination basis should be indicated. However tender should contain item-wise prices including total ex-works price, overall weight & dimensions of the equipment and cost of packing forwarding, approx. cost of air-freight charges for delivery up to Goa, India.		
19	A Committee constituted by the Director, NCAOR for the purpose reserves the right to open the bids. Only technical bids will be opened on the date and time mentioned in the tender document. The financial bids of those tenderers whose technical bids are found to be meeting our specifications only will be opened in their presence at date and time to be notified later.		
20	The firm to the full satisfaction of the NCAOR should carry out the installation and commissioning at the NCAOR premises and the time-frame for the whole process should be specified in the technical bid.		
21	A technical Committee constituted by the Director will assess the product supplied/installed for their quality and their conformity to the specifications provided by the firm in their quotations. Any item(s) identified by the Committee to be not as per the specifications or are found to be of inferior quality will be rejected, and the bills towards the supply will not be processed for payment till proper replacements are provided.		
22	No advance payment will be made. Payment shall be made by irrevocable letter of credit after supply and acceptance of the equipment by NCAOR. The payment will be authorized after submission of a Bank Guarantee for 10% value of the order towards warranty guarantee. The performance Bank Guarantee should be furnished within 15 days from the date of placement of order from a reputed bank (scheduled bank in India or foreign bank operating in India) valid till 60 days after the warranty period.		
23	The performance Bank Guarantee should be furnished within 15 days from the date of placement of order from a reputed bank (scheduled bank in India or foreign bank operating in India) valid till 60 days after the warranty period.		
24	Suppliers should clearly define the mechanisms of post-warranty maintenance or support. Supplier should undertake to support the product for a minimum period of 5 years (post-warranty). Post Warranty, AMC charges for a period of 3 years (annual bases) should also be quoted separately in the financial bid.		
25	If the quoted item needs to be imported then the undertaking needs to be produced from the original supplier stating that Post Warranty support for a minimum period of 7 years will be provided from the original supplier to NCAOR on LC Terms of payment. If payment needs to be made and spares will be supplied on the lowest rate quoted than to any other customer with providing the sales price list to the NCAOR periodically as and when increase/decrease in prices.		
26	Two sets of operational, service/troubleshooting manuals and diagrams to be supplied with "SUPPLY OF FULLY AUTOMATED CONTINUOUS FLOW ANALYSER FOR NUTRIENTS AND WET CHEMISTRY ANALYSIS"		

27	The submission of tender shall be deemed to be an admission on the part of the tenderer, had fully acquainted with the specifications, drawings etc. and no claim other than what stated in the tender shall be paid in the event of award of Purchase Order.		
28	Expenditure involved towards any extra materials required for labour involved for successful installation of the equipment, if not quoted for, would have to be borne by the tenderer.		
29	Acceptance of this tender form and submission of the quote within the stipulated time would be treated as: <ul style="list-style-type: none"> • The tenderer has understood all requirements as described in our Tender document. • Acceptance to provide/establish all the facilities mentioned in our tender without any price escalation, if the tenderer finds it necessary to add any hardware or software or any other materials during implementation. • Agreeing to execute order to the satisfaction of NCAOR or its authorized representatives within the stipulated time. 		
30	Training /Installation charges should be clearly indicated including the scope of training.		
31	Tender should clearly define the infrastructure facilities required for installation of the equipment.		

QUESTIONNAIRE

- a. **Name of the Manufacturer / Tenderer.**
- b. **Full postal address with Telephone, Telefax, Email.**
- c. **Please specify whether Public Limited, Company, Private Organization or Partnership Firm.**
- d. **Nature of the Business.**
- e. **Date of Establishment.**
- f. **Present Turnover.**
- g. **Permanent Income Tax Ref. No.**
- h. **C.S.T. / S.T. NO.**
- i. **Address & Telephone Nos. Of your branch office in GOA (please specify whether Distributing/Servicing/Marketing the products).**
- j. **Technical Compliance statement.**
- k. **Commercial Compliance statement.**
- l. **Reference of reputed Customers.**
- m. **Details of the highest order executed and value thereof.**
- n. **Authorization from Manufacturer/Supplier attached.**
- o. **Tender fee submitted/enclosed.**
- p. **E.M.D. attached with TECHNICAL BID.**
- q. **SSI, NSIC Registration Certificate.**
- r. **Infrastructure facilities required for installation & commissioning attached.**
- s. **Technical Specifications/Literature/Brochure attached.**
- t. **Tender Acceptance.**

TENDER ACCEPTANCE UNDERTAKING

To

The Director,
NCAOR, Headland Sada,
Vasco – Goa.

Having examined the tender document for **“SUPPLY OF FULLY AUTOMATED CONTINUOUS FLOW ANALYSER FOR NUTRIENTS AND WET CHEMISTRY ANALYSIS”**, we the undersigned hereby offer to supply the equipment in conformity with all specifications and conditions set out in the tender document.

We enclosed all the relevant documents as per the tender.

We understand that you are not bound to accept the lowest or any tender received.

Date :

(Signature of Bidder)

Name :

Designation :

Seal

BANK GUARANTEE FORMAT FOR FURNISHING EMD

To

**NATIONAL CENTRE FOR ANTARCTIC & OCEAN RESEARCH
Headland Sada, Vasco-da-Gama, GOA 403 804, INDIA**

Whereas _____
(Hereinafter called the "tenderer")
has submitted their offer dated _____
for the supply of _____

(Herein after called the "tender")
WE _____ of having our registered office
At _____ are bound unto the NATIONAL

(Hereinafter called the Bank)
CENTRE FOR ANTARCTIC & OCEAN RESEARCH, Ministry of Earth Sciences, Govt. Of
India having its office at Headland Sada, Vasco Goa 403 804, India (herein after called
NCAOR which expression shall unless repugnant to the context or meaning thereof include
all its successors, administrators, executors and assigns) in the sum of _____
for which payment will and truly to be made to. NCAOR, the Bank binds itself, its
successors and assigns by these presents. Sealed with the common seal of the said Bank
this _____ day of _____ 2014.

THE CONDITIONS OF THIS OBLIGATION ARE:

- 1) If the tenderer withdraws or amends, impairs or derogates from the tender in any respect within the period of validity of this tender.
- 2) If the tenderer having been notified of the acceptance of his tender by NCAOR during the period of its validity.
 - 2.a) If the tenderer fails to furnish the Performance security for the due performance of the contract.
 - 2.b) Fails or refuses to execute the contract

We undertake to pay NCAOR up to the above amount upon receipt of its first written demand, without NCAOR having to substantiate its demand, provided that in its demand the NCAOR will note that the amount claimed by it is due to it owing to the occurrence of one or both the two conditions, specifying the occurred condition or conditions.

This guarantee is valid until the _____ day of _____ 2014.

Signature of the bank

NATIONAL CENTRE FOR ANTARCTIC & OCEAN RESEARCH
 (Ministry of Earth Sciences, Govt. Of India)
 Headland Sada, Vasco-da-Gama GOA 403 804, INDIA
 Tel: 91- (0) 832 2525571 Telefax: 91- (0) 832 2525573
 Email: warlu62@ncaor.gov.in Website: www.ncaor.gov.in

PUBLIC TENDER

Director, National Centre for Antarctic & Ocean Research (NCAOR) invites sealed tenders in two-parts (part I – Technical bid & part II Financial bid) super scribing Tender No. Item and due date from well established/ reputed manufacturers / authorized and bonafide vendors for supply of the following:-

Sl. No.	Tender No.	Item Description	Qty.	Cost of Tender Doc.		EMD	
				US\$	US\$	US\$	US\$
1	NCAOR/LAB-2183/PT-33	SUPPLY OF REFRIGERATOR INCUBATOR	01 No	500.00	--	15,000/-	--
2	NCAOR/SOE-50356/PT-34	SUPPLY OF FULLY AUTOMATED CONTINUOUS FLOW ANALYSER FOR NUTRIENTS AND WET CHEMISTRY ANALYSIS	01.	1000/-	50.00	50,000/-	1800.00

Last date for issue of tender documents : **13.10.2014**

Last date for submission of quotation : **14.10.2014**

The details of tender documents are also available in our website <http://www.ncaor.gov.in> and Central Public Procurement Portal <http://eprocure.gov.in>. Interested suppliers may download the details and submit the quotation on or before the due date along with tender fee.

The quotation without tender fee will not be considered.

Tender forms can be obtained from the Procurement section of NCAOR on all working days either by post or in person between 1000 – 1600 hours on payment of tender fees in the form of crossed Demand Draft payable at Vasco-da-gama only, from a Nationalized bank drawn in favor of NCAOR along with separate requisition indicating tender number and item. Tender forms can be obtained by speed post by remitting ` 50/- by Indian bidders and US\$ 15.00 by Foreign bidders in addition to the cost of tender documents.

The Director, NCAOR is not responsible for any transitional/postal delays.

The quotations will be **opened on 15.10.2014** in the presence of tenderers or their authorized representatives.

The Director, NCAOR reserves the right to accept or reject any quotation in full or part thereof without assigning any reason.

Sd/-

For & on behalf of NCAOR